Scott. II-37—60,004—17-11-48.

E.&.P.H. (194 9) **Department.**

SERIES.

G.O. NO. Ms.4254, Public Health

Dated 30th November, 1949

closed
vide
Suptdt

[Despatch Abstract.]

Water Supply Scheme- Kollegal Panchayat (Coimbatore District) Preparation of Plans and Estimates- Sanctioned.

PUBLIC WORKS DEPARTMENT.

Letter No.2673-WPH/44-10, dated the 6th October 1945.

From: R.McIntosh Esq., M.B.E., B.Sc.,
Chief Engineer, P.W.D.,
(Buildings & Defence),
Chepauk, Madras.

To
The Secretary to Government,
Education & Public Health
Department, Madras.



Sub:- Kollegal Water Supply - Investigation report
Ref:- G.O.No.1974 P.H., dated the 11th July '44.

I forward herewith the investigation report received from the Sanitary Engineer for Kollegal Water Supply Scheme.

45131

As already indicated in my No.892-WPH/44-7, dated 17-6-'44, the results of investigation has revealed that the only source suitable for the silk filatures is the surface water of the river Cauvery. This requires costly treatment in coagulation tanks and mechanical filters which goes to increase the cost of the scheme.

PKB

10/10/45

As the policy of Government in the post-war period is to provide water supply for all panchayats over 10,000, it is desirable to have only the combined scheme of providing water supply to the panchayat and the two silk filatures.

The

The scheme is estimated to cost Rs. 5,83,000 to install and 12,000 to maintain annually.

for Chief Engineer, P.W.D.,
(Bldgs. & Def.)

Encls.- 1 Report of the Ex.Engr., P.H.(I) with Encls. San.47 to 51/45 & Appendix I to III (including Approximate estimates for combined scheme and independent scheme for silk filatures.)

pmj/8-10

REPORT OF THE INVESTIGATION OF A WATER SUPPLY SCHEME FOR KOLLEGAL PANCHAYAT BOARD AND THE GOVT: SILK FILATURE, KOLLEGAL.

1) General Description

Kollegal is a major Panchayat town in Coimbatore District on the border of Mysore State and is the Head Quarters of a taluk of the same name. There are many important public offices such as the R.D.O.'s and D.F.O.'s offices, a High School etc. It is an important Silk producing centre, there being two Silk Filatures, one known as "Government Silk Filatures" situated to the west of the Town and the other to the South near Mudigundam Village, known as "Kollegal Silk Filatures" and which was privately owned before, but now taken over by Government.

The Panchayat comprises of the town proper, Mudigundam Village and two small hamlets by name Uppiligin on the north and Sankarapuram on the west. The town has a gradual fall from Southeast to North-west towards river Cauvery. Ground levels in the town proper vary from + 2113.00 to 2060.00 an Mudigundam village from+2100.00 to + 2080.00. The t is gravelly on the elevated portions near the hill a black clay towards the river side.

2) Rainfall:

The annual rainfall (average of 22 years) is 34 the maximum being 39.06 inches and the minimum 19.63 The major portion of the rainfall is during the Nort monsoon.

3) Population.

The following are the figures for the last seve

1881	...	8462	1921	...	13266
1891	...	9946	1931	...	13849
1901	...	13729	1941	...	15101
1911	...	12566			

From the graph sheet (Appendix I) Enclosed, it seen that there is a fall in population in the year Taking into account the figures for 1881 and 1941 fo ing at a reasonable rate of increase in population, works out to 10.1% as per D.P.H.'s formula

$$Pu = P_p\left(1 + \frac{r}{100}\right)^n$$

The ultimate population in 1981, assuming the same increase, will be 28,000 (against 20,000 assumed in preliminary report). Considering the likelihood of Panchayat becoming a Municipality due to rapid growt the silk Industry including the introduction of sil also, the ultimate population of 22000 in 1981 cannot considered as excessive.

A Resume of the past.

The problem of water supply to Kollegal considered in 1910 - vide

water from Chikka Ranganathapuram Tank (an irrigation source) through 12" diar. stone ware pipes 4000 ft. long after filtering it and then pumping the water from the underground tank to two cisterns with 12 taps provided round each. For reasons mentioned in the Sanitary Engineer's letter No.3824-M dated 25-1-1913, this scheme was considered defective, and the Assitant Sanitary Engineer (West) was asked to inspect Kollegal and to investigate the possibility of cutting off a portion of Chikka Ranganathapuram tank by a bund and gravitating the water to a cluster of taps or digging another storage tank 500' x 500' x 10' in the neighbourhood of the existing underground tank in the town.

The Assistant Sanitary Engineer reported in his No.1317 dated 16-1-1914 that conservation of water in an irrigation tank by bunding would mean payment for conversion of about 500 acres of 'wet' land into 'dry' and the alternative to excavate a new storage tank in the heart of the town cannot be considered as much of an improvement. He suggested however, that a scheme of water supply from open wells to be dug in the town, may be feasible, judging from the yield and quality of water noticed in some wells in the northern part of the town. This scheme was estimated to cost Rs.1,00,000 to instal, and Rs.2,000/- to maintain annually - Vide Sanitary Engineer's No.1380-M dated 27-7-1915. Action on this was taken only in the year 1932 when the President, Coimbatore District Board submitted an estimate for Rs.3,850/- in his R.O.C.No.357/D.B.E./31 dated 26-3-32 for putting down six trial borings and sinking a well 20' in diameter in S.No.547 to the north of the Taluk Board Office. This estimate was returned in Sanitary Engineer's No.671-M dated 12-4-1932, suggesting that test borings might be put down in the first instance and results reported. Nothing further was heard in the matter.

5. Present Investigation.

Government in their Endorsement No.18968-2 E2 P.H. dated 26-4-1944 called for the remarks of the Chief Engineer (Genl. Bldgs. & Defence) on the question of a combined scheme of Water Supply for the Govt. Silk Filatures and the Panchayat Board of Kollegal, as the problem of ensuring supply of Good water having chemical features permissible for the silk filature process, was engaging the attention of Govt. in the Development Department, (the supply from the existing sources viz., bore well and open wells, not being of the desired chemical quality). A preliminary report was submitted in Sanitary Engineer's No.4504-2/44 WS/7-11-(WS) dated 2-6-1944, based on particulars gathered by a Supervisor of this department after inspecting the site. This was forwarded to Government with C.E.'s letter No.892 WPH/44-7 dated 17-6-44. While stating that a combined scheme of Water Supply from the Cauvery, to the two silk filatures as well as the Panchayat proper, would be eminently suitable, approximate costs were reported also for two other schemes, viz.

B(1) for the two Silk filatures alone

B(2) -do- but with full size pumping main up to the point of bifurcation in the town so that it may serve the town later on.

Swarnawathi river - a tributory of the Cauvery, and which is nearer to the town, was also suggested as an alternative source. The approximate cost of detailed investigation was reported as Rs.2,500/-.

In G.O.No.1974 P.H. dated 11-7-44 the Government accepted the Chief Engineer's recommendation for detailed investigation of the alternative schemes and ordered that the investigation should be taken up urgently, its cost being met by Government in the first instance.

as seen from the borings, the sand is no doubt encouraging enough for locating infiltration works at the site. But the chemical quality of the water from Bore holes Nos.1(S) and 2(S) was found to be not suitable for purposes of silk reeling, as the figures for carbonate hardness and alkalinity are high, (though somewhat less than in the samples from the Cauvery borings).

(ii) Site No.4 above Mysore Road Crossing.

Only three borings 6(S) to 8(S) were put down at this upper site in Swarnavathi river, which was selected so as to be up stream of the Dhobie Ghat now existing in the vicinity of the road bridge. The borings section shows that the sandy stratum here is shallow, being only 8 to 9 ft. Hence this site is unsuitable for locating infiltration works.

(iii) Raw Water from Swarnavathi.

Samples from both the sites 3 and 4 were got analysed the D.K.I. (Vide consolidated Tabular Statement - endix II). Unlike the surface water in the Cauvery, the water from the Swarnavathi is found to have a fairly content of carbonate harness and alkalinity and is fore unsuitable for silk reeling work.

Apart from the question of unfavourable chemical ures of the water from this source it was understood ocal enquiry that this river is not quite perenial. width of sandy bed is only 50 to 60 ft. in portions tween sites 3 and 4. Results of rough yield tests at he borings 1(S) to 5(S) are not encouraging . Hence this lternative source has to be ruled out.

The field work included taking levels along possible lines of Pumping main from all the six sites (four in the Cauvery and two in the Swarnavathi), besides levels in all the streets in the town and spot levels with trial pits etc. at the site selected for the Head Works near Haralle village. The total number of borings put down is forty-two against twenty assumed in the investigation estimate. On account of this and the necessity for increased field work explore all possible sources, the out door work was eted only by end of July 1945.

Proposed Scheme outlined:

Requirements of the combined scheme of Water Supply.

ly needs for the two silk filatures is understood to 00 plus 20,000 or 70,000 gallons of water. Assuming ons per head per day for the ultimate population of anticipated in 1981, the requirements for the Panchayat 0,000 gallons. Thus the total ultimate daily supply e 2,90 lakhs gallons of water.

b) Head Works:

From a perusal of appendix II (tabular statement ater analysis) and the copy of letter No.22942/45 dated 1945 of the D.K.I., attached to Appendix II, it will that from the stand point of the silk Filatures, rse is to draw surface water of the erenial river and purify it in the usual way. auvery is subject to floods during both the the turbidity of the raw water would be high, agulation tank and mechanical filters of alled for. The alternative method of

of having settling tanks and slow sand filters (using some alum at the settling tanks and for initial filming) as obtain at Kurnool is not feasible here, for the reasons given above and also in view of the fact, that the nature of subsoil near the proposed head works (where there is ample level land) and also near the Service Reseroir in the town, is gravelly or disintegrated rock which is unsuitable for the bed of settling tanks.

The general arrangement is indicated in Plan No. 48/45. An offtake channel will lead the surface water to a collecting well located sufficiently interior and away from the water edge in the river. This will act as the suction well also. Raw Water from this well will be pumped by the low lift plant to the coagulation tank where from the water will pass through a Mechanical filter of the gravity type and collect in a clear water reservoir. From the C.W. Well the water will be pumped by the High lift plant to the service reservoir in the town. Land for locating the above as also the quarters for Electrician Superintendent etc. has to be acquired.

(C) Pumping plant:

Two separate units for the low lift and High Lift will be required. Assuming 16 hours pumping, the capacity of the pump sets to ensure a daily supply of 2,90,000 gallons will be 302 g.p.m. Any increased demand later on, can be met by increasing the hours of pumping suitably.

The high tension line from Sivasamudram Power Station (Mysore State) runs along Maddur road as indicated in green line on the index plan. Therefore Electrical energy can be made available for running the plant. A new feeder main 2 miles long will have to be taken along the proposed alignment of pumping main.

(d) Pumping Main and approach road to Head Works.

The alignment of the pumping main (9" in diameter) from the Head Works to the Service Reservoir in the town is shown on plan No. 48 /45. The total ultimate daily supply comes to 2.90 lakhs of gallons - Vide (a) above. Assuming 16 hours pumping, this works out 302 g.p.m. The size of pumping main for this, is 9" diar. (grade = 1/355 and velocity of flow = 1.833 ft.). Necessary land for a width of say 33' has to be acquired from the Head Works to point "X" on the existing road leading to Maddur, for laying the pumping main as well as forming an approach road to the Head works.

(e) Service Reservoir:

The site proposed for the Service Reservoir is shown on plan No48/45. It is to the North of the L.F. Travellers' bungalow and is about the highest point in the town and can command all high level areas in the future extensions of the town as well as Mudgundam and both the filatures. The reservoir will be of the G.L. type with L.W.L. at+2115.00 and consist of two compartments of 50,0 gallons' capacity each, the total storage capacity being equal to 8 hours supply to the town including both the filatures. Land needed has to be (150' x 250').

(f) Distribution system: Two independant trunk mains will be provided . One is for the high level zone which incl the extensions in the south of the town and also Mudigundam and the silk filature near it. The other one will serve the low level areas in the town on the northern side as well as the Government silk Filatures. The approximate alignment of these two mains is shown on plan 48 /45. The submain

ns and branches etc. along the various streets
will be suitably designed when preparing detailed
stimate before which the number and exact loca-
blic fountains will be got decided by the Panchayat
overhead tanks now existing at the two filatures
eful in storing the supply and distributing it as
at the points required.

ost of the combined scheme:

cheme is estimated to cost Rs.5.83lakhs to instal
00/- to maintain annually - vide details in
II. The cost is worked out at current rates as
likely to be prevalent for another two years to
s it is contemplated to execute this scheme urgently.

g the course of investigation of this scheme,
s of this Panchayat Board including its President
ecutive Officer had occasion to meet the Sanitary
nd the Executive Engineer (P.H.) Southern Circle
ng at Kollegal. They represented earnestly that
ed Water Supply Scheme should include also the
Proper and that the Board is prepared to meet its
he total cost and that they are ~~xxxxxx~~ addressing
also in the matter. Now that the war has also
re may be no necessity to consider the question
meal execution of this scheme, viz., to serve
filatures alone to start with. However separate
f cost for the alternative schemes B(1) contemplated
eliminary report are also worked out now.

K

R. LAKSHMANA IYER
15.8.45
Sanitary Engineer ~~to Govt.~~

5)

S.O.

APPENDIX III.

WATER SUPPLY SCHEME TO KOLLEGAL AND SILK FILATURES

Approximate Capital Cost.

			Rs.
1.	Compensation for land	...	5,000
2.	Offtake arrangement	...	4,000
3.	Suction well	...	4,500
4.	Motor and pump house with a clear water reservoir of the capacity		40,000
5.	Motor and Pump 5 B.H.P. low lift		5,200
	-do- 20 B.H.P. High lift		15,700
	Pipe fittings	...	3,000
6.	Filter House	...	36,000
7.	Coagulating Tank	...	27,000
8.	Filter Plants	...	80.000
9.	9" Pumping main 12700'	...	83,400
10.	Service Reservoir (under ground masonry) 1,00,000 gals capacity		25,000
11.	Pipe fittings	...	5,000
12.	Distribution System about 5 miles		1,10,000
13.	Watchman's Driver's quarters		2,000
14.	Fencing the Head Works and Service reservoir	...	2,250
15.	Road along the pumping main		15,000
			4,63,050
	Unforseen works at 4%		18,522
	Contingencies at 5%		23,153
			5,04,725
	Centage charges at 15½%		78,231
	Total		5,82,956

or 5.83 Lakhs.

ANNUAL MAINTENANCE CHARGES.

Energy:-

$25 \text{ B.H.P.} \times \frac{3}{4} = \frac{75}{4} \times 16 \times 30 = 9{,}000$ Units.

9000 Units per month @ C-1-0 per unit = 562-8-0

	Therefore per annum	...	Rs.6750
	Grease	...	200
	Lighting Head Works	...	80
	Chemicals	...	630
1	Water works Overseer 60-5/2-90 50% allowed $\frac{78-8-0}{2} = 39-4$		471
1	Electrician Superintendent II Grade 73-10-8		884
1	-do- 34-12-0		417
1	Filter Operator II 39-12-0		477
2	Cleaners @ 15/-		360
2	Watchmen 12/-		288
1	Peon (Half time) 12/-		72
1	Fitter 34-12-0		417
1	Turn cock		216
	Repairs and renewal plant		200
	Inspection charges		200
	Repairs to pipe line, filters, pump house etc.		338
	Total		12000

APPROXIMATE CAPITAL COST FOR A WATER SUPPLY SCHEME
to the
Silk Filatures only. Scheme B①

		Rs.
1.	Compensation for land	6,000
2.	Off-take arrangement	2,000
3.	Suction well	3,000
4.	Meter and Pump house with a clear water reservoir	18,000
5.	Meter and Pump for low lift 2 B.H.P.	2,000
	-do- for high lift 7 B.H.P.	4,400
	Pip fittings	2,000
6.	Filter house	12,000
7.	Coagulating tank	9,000
8.	Filter Plants	27,000
9.	Pumping main 6" -15,300 ft.	59,288
	-do- 4" 6,300 ft.	16,537
10.	Elevated Reserveir 15,000 and 7000 gallons	10,000
11.	Watchman and Driver's quarters	2,000
12.	Fencing the Head Works and Service Reserveir	2,250
13.	Road along pumping main	10,000.
		1,85,475
	Unforseen works & contingency 9%	16,693
		2,02,168
	Centage charges at 15½%	31,336
	Total Rs. =	2,33,504

for 2.34 lakhs.

ANNUAL MAINTENANCE CHARGES:

	Cost of energy ...	1,848
	Grease ...	50
	Lighting ...	40
	Chemicals ...	200
2	Electricians II Grade ...	934
	Filter Operator ...	477
1	Watchman ...	144
	Fitter ...	417
	Repairs and renewal plant	100
	Inspection charges	200
	Repairs to pipe lines	172
		4,480 or Rs.4,500/-

V. Krishnaswami 7/9/45
for Sanitary Engineer to Government.

AV.30/8.

APPENDIX NOT

KOLLEGAL WATER SUPPY SCHEME

POPULATION CURVE

RATE OF PERCENTAGE OF INCREASE WORKS OUT TO 10·1 TAKING INTO ACCOUNT 6 DECADES FROM 1881 TO 1941

U.P IN 1981 WORKS OUT TO 22000 @ 10·1 % OF INCREASE



OFFICE OF THE SANITARY ENGINEER,
CHEPAUK, MADRAS.

SANITARY ENGINEER TO GOV.T

TRACED BY - T.C.S.P.

Remarked by 22/12/48

Sub-Collector

Sub-Water Supply Scheme - Kollegal Pt. Bd (Coimbatore) and the Govt Silk Filatures, Kollegal - Financing.

p1-1 - C.No 65131 from the C.E., P.W.D., (G.B.S.D) No 2673 WPH/44-10 dated 6.10.48

Memo. No: 65131-12/44 E2 P.H dated 22-11-48.

The C.E., P.W.D, (G.B.S.D) has submitted

p1-8c-f- the investigation report for a combined w.s. schemes (from the Cauvery source) for the Kollegal Pt. Bd. and the Govt. Silk Filatures, Kollegal, from the Cauvery source. The scheme is roughly estimated to cost

p11 c-f- Rs 5-83 lakhs to initial and Rs 12,000 annually to maintain annually. The Govt. will give a half grant towards the capital cost of the scheme. The Inspr. of Pt. cls. and local boards is requested to urgently ascertain and report whether the Kollegal

(B) No. 2

Pt. Bd. is prepared to undertake the whole scheme itself and supply water to the Silk Filling Mills at appropriate rates which will be fixed by the Govt. in consultation with the Panchayat. It is also requested to examine and report on the financial position of the Pt. Bd. with a view to see whether the Bd. can meet its share of the capital cost of the scheme and the annual maintenance charges.

To (1) The Inspr. Genl. of Irrigation and local Bodies (with spare copies for the C.E., P.W.D. & B&R)
(2) Copy to the P.A.
(3) Copy to the P.R.B. Technical Committee.

Letter with enclosure
9/11/45

C

5

31/1 p25 Cir. No 3975 from the Exec. Officer, Kollegal Panch. Bd., 1361/45 d: 10-12-45

from the Compr. of Fd. Accts. KLBd

p28 Cir. Instr. No DS 655-45 d: 12-1-46

Memo — 45/31-4/45 E2 P.H. dated 30-1-46.

N. S. — Kollegal Panchayat

p15 Circle

In memo no 45/31-2/45 E2 PH dated 22-11-45 on the subject mentioned above, the Compr. of Fd. Accts. KLBd was requested to report on the financial position of the Kollegal Panchayat Bd. with a view to see if the Bd. could

p16 Branch

III Encl (E2)

sheet 1/th above of the Kr. V. Scheme referred to in it. No report has been received along with his endt. read above. ~~Nor has the ends. sent with the~~ ~~memo. been returned.~~ The Insp. is requested to submit a report on the financial posn of the Panchayat. and also to which the ends. to the memo 45/31 — 2 Sg Pld. 22-11-45 along with his reply

p 29 ante

p 15 ante

30/1/46

30/1/46

Dft Pl with Endt
30/1/46

To the Insp. of Pls
& Rds
(with pp 11-14 Cf
in rel. to the ref.
with reply)

From K.M.Unnithan Esq., I.C.S.,
Inspector of Mi.Cls. & Local Boards, Madras.

To The Secretary to Government, Education and Public Health, Department,

Rpc No. 37133/45F3 dated 7-2-1946.



Subject:- Water supply - Kollegal panchayat board - Coimbatore District -

Ref:- Government memorandum No. 45131/4/45 E2 P.H. dated 30-1-46.

8972

The matter is under correspondence with the District Panchayat Officer, Coimbatore. I shall send my reply on receipt of his report.

for Inspector.

p.s.r.8/2.

The report may be awaited till 4-3-46

From
Sri.C.Sundaresa Mudaliar B.A.,B.L.
District Panchayat Officer
Coimbatore

To
The Inspector of Local Boards,Madras.

I.Dis No.2380/45 Dated 23-1-1946.

Sir

Sub:- Water supply scheme- Kollegal panchayat board- Coimbatore District- and Government Silk filatures, Kollegal.

Ref:- Your Roc No.37133-4 -A3 dated 26-12-45.

I visited Kollegal and had occasion to meet and discuss with the president panchayat board, members of the board and the public. All are agreed that the water supply is a very very urgent need and that the panchayat board should be prepared to take up the water supply and to meet the expenditure by necessary additional tax on property. In the circumstances, stated by the Government, the board is proposed to take up the whole scheme itself. Of course this is the view of most of the members of the board whom I consulted unofficially.

I herewith submit the receipts and charges for the 3 years ending 44-45 and a normal budget worked out by me. The receipt and charges referred to above are exclusive of the receipts and charges of the Electricity Scheme. In the normal budget however, I have taken this also into consideration. Here I must point out that the Electricity Scheme of the panchayat board is for various reasons—the war conditions and the orders passed by the Government owing to those conditions is one of the most important factors- unprofitable.

In the years 1943-44 and 1944-45, the annual loss due to this Scheme was Rs 10600/- per annum. Now the Government have proposed that the panchayat board have agreed to have the electri xxxxxxxxxx concern transferred to Government control. My opinion regarding the financial position of the board in respect of the water supply scheme is based on the assumption that that transfer would take effect at an early date.

My normal budget shows an income of Rs 161 -/- and an expenditure of Rs 56400/-. If allowance is made for the loss on the Electricity Scheme of Rs 10000/- and the Dearness Allowance of Rs 5400/- paid to the staff, then the deficit is turned into a plus balance of Rs 9000/-. Even then the board will have to find a sum of about Rs 18000/- to 20000/- to meet an annual expenditure of Rs 27000/- to 28000/- towards maintenance charges and an annuity towards repayment of the loan for half cost, if the repayment is spread over a period of 30 years. On working out that plus balance of Rs 9000/-, I have also xxx presumed that the panchayat board will convert the special lighting tax which they are now levying into a water tax.

This addidtional expenditure of Rs 18000/- to 20000/- can be met by (1) an additional tax of 0-2-0 per hundred of captial value (Rs 70,0/-) on houses, (2) some 10000/- from the Government Silk Filatures and other industries. and (3) Rs 2500/- from private connections, on tap rate basis.

C. Sundaresan 23/1
District Panchayat Officer.

Normal Budget

Receipts		Charges	
Land cess.	150-0-0	Establishment	6400-0-0
House tax. ..	16000-0-0	Roads.	4500/
House social tax	5350-0-0	Lights.	3000-0-0
Profession tax	1400-0-0	Education	600-0-0
Profession tax compensation	940-0-0	(Radio) Public health.	11900-0-0
Vehicle tax.	1000-0-0	Remunarative enterprises other than	
Miscellaneous revenues	100-0-0	Electric	1500-0-0
Sale of Rubbish	300-0-0		
Private Scavenging	700-0-0		
Markets.	1500-0-0	Electric including loans	24000-0-0
Slaughter house.	300-0-0	Capital Expenditure on public	
Avenues.	85-0-0	health charges	4500-0-0
license fees.	825-0-0		
Electric scheme	13500-0-0		
Entertainment tax	400-0-0		
	46150-0-0		56400-0-0

24 cos
1 Bihar
105

Statement of expenditure for the 3 years ending 1944

	1942-43	1943-44	1944-45	Remarks
Management				
Special Establishment.	103	66	664.	
General Establishment.	838	772	1135	
Contribution	42	-	45	
Medical Establishment	1062	1517	1669	
Contribution for pension and or L.F. Provident Fund	30	30	30.	
Contingencies	102	346		
Total.	2177	2731	3543	
II Communications				
1. Road Maintenance.	236	61	62.	
2. Lighting Staffs	71	119	157	
3 Lighting Contingencies	344	210	187	
4 Street Electric Lighting charges	1447	1154 ~~1544~~	1393.	
	2098	1544	1799	
III Education				
Radio Public Amenities	103	259	312	
	103	259	312	
IV Public Health				
Epidemic & Endemic disease	-	87	280.	
1. Conservancy Staff	4415	5853	6824.	
2. Contingencies	115	128	94	
3. Private Scavenging Staff	289	361	412.	
4. Repairs to Tanks Staff	257	337	404.	
5 Contingencies	47	9	15	
	5123	6775	8029	
V Remunerative Enterprises				
1. Slaughter house Contingencies	66	71	77	
2. Avenue Staff Contingencies	133	171	205	
3. ~~Electric Lighting Scheme~~ Avenue contingencies	5	4	1	
	204	246	283	
Deposit & Advance Recoverable Account General Branch.				
Deposit	210	3717	1110	
Advances Recoverable	1285	401	727	
	1495	4118	1837	
Endowment				
Endowment.	~~30~~	-	~~11~~	
Contribution to Dt. Board for the Construction additional Block to Board, High School.	-	2300		
Tax & Light Tax on Town Hall.	20	19	22	
Total	20	2319	22	
Grand Total.	11220	17992	15825	

This statement is the district Panchayat officer Coimbatore
B. Rajasingh
10/11/46.

Statement is does not include electricity scheme.

10/11/46

X Mdvs/43

Rc.d

Please quote the reference number of any of this Office in response to which the statement is submitted

District Panchayat Officer,
COIMBATORE.

SKSR

11.1.46

To The E.O Pollachi.

	1942-43	1943-44	1944-45	
1 Road cess.	159	176	89	80
2. House tax.	10304	12523	18271	
3. Special light Tax.	3370	4147	6083.	
4. Compensation in lieu of loss of income from Profession tax.	969	914	941	
5 Profession Tax.	868	583	1220.	
	15690	18343	26604	
Non Tax Items.				
1. Lapsed Deposits. Investment Realised	2755	44	-	
2 Cash Recoverie Rent of Buildings	1	5-	19	
3. Management. Receipt	14	4	17	
4 Private Scaveng fees.	534	500.	726	
5. Sale of Rubbish.	263	342	275	
6 Licence fees.	510	814	724	
7 Magistral fines.	65	117	14	
8 Market fees.	720.	848.	1650	
9 Endowment. Rent of Town Hall.	180.	180.	180.	
10. Slaughter House fees.	167.	432	226	
11 Radio Receipts		9		
12 Fishery Rentals.	46	46		
13 Warrant and distraint fees.	7	5-	15-	
14 Avenue Receipts	18	51	87	
15 Rent & proceeds of lands.	2	5-	1	
16. Deposits and advance General Account	2471	1126	1887	
Total	7733.	4528.	5824.	
Grand Total.	20403.	22871	32425.	

Local Administration Department. 22.28/45

23772

From: Sri S.B. Rajasingh, B.A.B.L., Executive Officer, Panchayat Board, Kollegal.

To: The Secretary to Government, Education and Public Health Department, Fort St. George, Madras.

Through: The Proper channel.

DISTRICT PANCHAYAT OFFICE, COIMBATORE. 12-12-45

DEPUTY INSPECTOR OF MUNICIPAL COUNCILS, DISTRICT OFFICE, EGMORE, MADRAS. 14 DEC 1945

ASST. SECRETARY TO GOVERNMENT, EDUCATION AND PUBLIC HEALTH DEPT. 28 JAN 1946

Rc. No. 1361/45 dated 10-12-1945.

Sub: Water supply scheme - Kollegal Panchayat Board and the Government Silk Filatures, Kollegal - Financing.

Ref: Memorandum No. 45131-2/45E2.P.H. dated 22nd November 1945.

The subject of financing the proposed water supply scheme was placed before a meeting of this Panchayat Board and the Board has resolved by its Resolution No. 138 dated 8-12-1945 agreeing to meet its share of the cost and that it is not possible for this Board to meet the share of the cost on behalf of the Silk Filatures, Kollegal. A copy of the Board's resolution is herewith submitted.

S. B. Rajasingh.
10/12/45.
EXECUTIVE OFFICER.

Submitted.
B. Parvakumar
PRESIDENT, 10/12/45
Panchayat Board, Kollegal.

Nais 202 28/45

Submitted.

C. Sivaswamy 17/12
District Panchayat Officer,
COIMBATORE.

Sfcdr
12/12/45

To

The President,
District Board,
Coimbatore.

Proceedings of the Kollegal Panchayat Board, Dated 8-12-1945

Had memorandum No. 46131-2/45 E2 P.H. dated 22-11-1945 from the Secretary to Government Education and Public Health Department asking whether the Board can meet its share of the capital cost and the annual maintanance charges with a loan from Provincial Fund if necessary regarding the water supply scheme to this Panchayat Board and to the Filatures from River Cauvery and stating that the scheme is estimated to cost Rs 5.83 lakhs to install and Rs 1,000/- annually to maintain and that the Government will give a half grant towards the capital cost of the scheme.

RESOLUTION No. 138 ; (a) This Board agrees to meet the share of the cost apportioned to this Panchayat Board.

(b) It is not possible for the Board to meet the share of the cost spent on account of the Silk Filatures.

Sd/ B.Parvathiah, 8-12-1945.
President.

//True Extract translated from Kanarese//. S.B.Rajasingh.
Executive Officer, 10/12/45.
Panchayat Board, Kollegal.

Endt order 27557/B5/45

Forwarded with reference to Govt memo No M5 131/2/45. E2 PH dated 22-11-45 for favour of information.

To The Inspector of municipal councils and Rural Boards, Madras.

20/12/45

President, Pth Board Coimbatore

Office of the Inspector of Municipal
Councils and Local Boards

M. dis. 695 -45 Dated 12-1-46

Forwarded to the Secretary to Govt
Education and Public Health Deptt

D. Subbaraya Sastri
For Inspector. 12/1/46

8/1/46
F.3

To
The Secy. to Govt.
E. and P. H. Deptt

From
Sri.C.Sundaresa Mudaliar B.A.,B.L.
District Panchayat Officer
Coimbatore

To
The Inspector of Local Boards, Madras.

Roc No.360/46 dated 18-3-46.

Sir

Sub:- Water supply Scheme- panchayat board Kollegal- Coimbatore District- Government Silk Filatures- financing of.

Ref:- Your Roc.No.37133/45-F3 dated 7-2-46.

I herewith resubmit letter Roc No.1361/45 d/10-12-45 of the Executive Officer, Kollegal and copy of Board resolution No.138 of 8-12-45 forwarded with the above reference, besides Executive Officer's report No.215/46 d/5-3-46, board resolution and budget for 1946-47. The Executive Officer has arrived at the possible amount of income from Government sources. Apart from this, I believe the board can get orders from private sources for industrial purposes. When water supply is given, I believe private connections will be granted on tap rate system or meter. I believe, there will be about 200 to 300 such connections. Taking Rupee one per tap per month and assuming that the connections will be 200, the annual income from this source will come to about Rs 2500/- roughly.

Enclosures
Roc.1361/45/10-12-45
board resolution No. 138/8-12-45,
Executive Officer's report 215/46/5-3-46 and budget for 1946-47.

C. Sundaram
District Panchayat Officer.

krc18/3.

1937-ம் வருஷத்திய கோயமுத்தூர் ஜில்லா (சேலம் cum கோயமுத்தூர் cum நீலகிரி ஜில்லாக்களின்) மகமதிய தொகுதியைச்சார்ந்த மதராஸ் லெஜிஸ்லேடிவ் அசெம்பிளியின் வோட்டர்களின் முடிவான ஜாபிதாவுக்கும் 1938-ம் வருஷத்திய சேர்த்தல், நீக்கல், திருத்தல் இவைகளடங்கிய முடிவான ஜாபிதாவுக்கும் 1939-ம் வருஷத்திய சேர்த்தல், நீக்கல், திருத்தல் இவைகளடங்கிய முடிவான ஜாபிதா.

கோபிசெட்டிபாளையம் தாலூக்கா.

குறிப்பு:— (1) பிராக்கெட்டுக்குள்ளிருப்பவை தகப்பனர் புருஷன் அல்லது காரணவான் பெயர்.
(2) யோக்கியதாம்சம் குறித்திராத பெயர்களின் யோக்கியதாம்சம் 3ஏ.
(3) L' என்பது எழுதப்படிக்கத் தெரிந்தவர்கள்.
(4) (S) என்பது ஸ்திரீ.

சதமுகை பஞ்சாயத்து.

19. சதமுகை கிராமம்

சேர்த்தல், நீக்கல், திருத்தல்—இல்லை.

கோபிசெட்டிபாளையம், 1939-ம் வது நவம்பர்-மீ 3-உ

எம். எம். ஷேய்க்,
ரெஜிஸ்ட்ரேஷன் ஆபீஸர்.

To: The Inspector of Lo—
& Municipal Councils,
Madras.

Kollegal

Through: The Proper Channel.

Lr. R.O.C. No. 215/46 dated 5-3-1946.

Sir,

Sub: Water supply scheme, Kollegal Panchayat Board - Coimbatore District - Government Silk Filatures - Financing

Ref: Your Lr.o ROC.No. 37133/46 E3 dated 7-2-1946.

The question of financing the entire water supply scheme was placed before the Board with a view to modify this Board's resolution No. 138 Dated 8-12-1945 and the Board at its special meeting held on 27-2-1946 has agreed in Panchayat Board Resolution No. 177 dated 27-2-1946 (copy enclosed) to bear the entire cost of the scheme thus modifying the resoluti already passed. A special meeting was convened for this purpose in whic 10 out of the sanctioned strength of 16 members were present and the resolution was carried without any division.

By the same resolution the Board has agreed to levy an additional tax of annas two only per Rs100 of the Capital value of the houses.

The method of arriving at the figure of Rs 12,000 likely to be derived by the supply of water to the Government Filatures has been worke out thus:-

The number of basins for reeling silk in the Government Silk Filatures is 425 and in the Kollegal Silk Filatures 150; therefore the total number of basins is 575.

Depending on the supply of cocoons all these basins may not be engaged through out the year ; hence it is presumed an average of 300 basins only will be working per day for 25 days in a month.

The consumption of water per basin is normally 70 gallons per day. The total consumption in all the 300 basins per month is

: 70X300X 25:: or5,25,000 gallons.

:. Consumption in a year is 63,00,000 gallons.

Allowing for economy that that might be practised when water is to be paid for, the annual consumption might be 60,00,000 gallons.

The usual rate at which water is supplied to Government and other Industrial concerns is Rs 2 per 1000 Gallons.

:. The cost likely to be derived annually is Rs 12,000.

Alternative method.

In the Kollegal Silk Filatures there is one pump with a delivery of 25 Gallons per minute and in the Government Silk Filatures there a two each with the same capacity; assuming these pumps work for a minimum of 10 hours per day the quantity of of water pumped per day is 25X60X10 X3 Gallons in both the Filatures.

The quantity pumped in a year is 13500000 gallons.

This includes the water supplied to Silk Basins, boilers, latrine Gardens and domestic purposes. But Cavaury water may be used for basins and boilers only; hence allowaing a deduction of 50% the annual consumption is 6750000 gallons or 6000000 gallons.

In arriving at the above figures the consumption in the Governme Silk Farm and the Mudigunda Silk Weaving Factory expected to be erected in about a year's time has not been taken in to account and their requirements would also be substantial.

A copy of the Budget estimate for the year 1946-47 is herewith submitted.

S.B. Rajasingh.
6/3/46
Executive Officer.

Forwarded
B. Parvaiyar
6/3/46
President,
Panchayat Board, Kollegal

Proceedings of the Kollegal Panchayat Board at its special meeting held on 27-2-1946.

Read memorandum No. 37133/46 F3 dated 7-2-1946 informing that the Panchayat Board has resolved in its Resolution No. 138 dated 8-12-1945 to agree to meet its share of the cost and that its not possible for the Board to meet the share of the cost on behalf of the Silk Filatures and that the District Panchayat Officer, Coimbatore has reported that the Kollegal Panchayat Board is prepared to take up the whole water supply scheme and also requesting the District Panchayat Officer to report definetely whether the Panchayat Board is in favour of undertaking the whole scheme and to levy additional tax at Re 0-2-0 per Rs 100/- of the capital value of the houses.

Read also note of the Executive Officer informing that the Board would lose even the annual income of Rs 12,000 from the Filatures if the Panchayat Board is not prepared to take up the whole water supply scheme and also requesting the Board to modify the last resolution and to consider whether an additional tax of annas two per 100 (Rs) of the Capital value of the houses can be levied.

Resolution No: 177:- This Board agrees to bear the capital cost on behalf of the Silk Filatures and levy an additional tax at Re 0-2-0 per Rs 100/- of the Capital value of the Houses per half year for the water supply scheme.

Sd/ B.Parvathiah 27/2/46
President.

//True Extract translated from Kanarese//

S.B.Rajasingh 6/3/46.
Executive Officer,
Panchayat Board, Kollegal.

Local Administration Department

From (Name) K.M.Unnithan Esq., I.C.S.,

Designation Inspector of Ml. Councils and Local Boards,

Station Madras.

Received ASSISTANT SECRETARY TO GOVERNMENT EDUCATION AND PUBLIC HEALTH DEPARTMENT 23 APR 1946 Registered

To

The Secretary to Government,
Education and Public Health Department
(Health Branch) St. George.

Enclosures: L.Dis. No. 37133/45 dated 16th April 1946.

Sir,

Subject:- Water-supply scheme - Kollegal Panchayat Board - Coimbatore district - Government Silk Filatures - Financing of.

Ref:- Government Memo.No. 45131-2-45-E2 P.H., dated 22-11-45

p15 ante

The papers received from Government with their memorandum referred to above are returned herewith with the following remarks. The other connected papers are also enclosed.

2 The Kollegal Panchayat Board (Coimbatore district) is willing to bear half the cost of the combined water-supply scheme for the Kollegal Panchayat Board and the Government Silk Filatures. But the points for consideration are (1) whether the panchayat board will be able to meet half the estimated cost of the scheme from its own funds which will come to Rs.2.915 lakhs and (2) whether the panchayat board can meet the annual maintenance charges of Rs.12,000/- plus the annuity payable in case Government grant a loan to the panchayat boqrd equal to half the capital cost of the scheme.

3 The budget estimate of the Kollegal Panchayat Board for 1946-47 shows that the year commences with an opening balance of Rs.11,148/- and is expected to close with a surplus balance of Rs.18,806/-. But this surplus includes a net surplus of about Rs.9,000/- under the electricity scheme. If as reported by the District Panchayat Officer, Coimbatore, in his letter L.Dis.No.2380/45 dated 23-1-1946 (enclosed) the electric concern is transferred to Government the panchayat board may be expected to have a surplus balance of about Rs.10,000/- only at the close of 1946-47. It is therefore clear that the panchayat board cannot meet half the cost of the scheme from its own funds and must necessarily take a loan from Government equal to half the cost of the scheme.

20 ante

4 To meet the additional cost involved on account of the water-supply scheme, the panchayat board can take credit for the following items of income:-

(1) Proposed levy of surtax on house tax at Re.0-2-0 per Rs.100 of capital value	Rs.7,000.
(2) Estimated income from the supply of water to silk filatures (vide letter of the Executive Officer, Kollegal Panchayat Board - Roc.215/46 dated 5-3-46 enclosed)	12,000.
(3) Estimated income from private connections (vide letter of the District Panchayat Officer, Coimbatore, Roc.360/46 dated 18-3-46 enclosed) ...	2,500.
Total	Rs.21,500.

A p30 ante

p29

5 As against this estimated income of Rs.21,500/- the panchayat board will have to meet an expenditure of Rs.24,000/- towards the proposed water-supply scheme.

(1) Maintenance charges	Rs.12,000.
(2) Annuity payable towards the loan assuming that the repayment extends over 30 years with interest at the usual rate of 3% Rs.118-72 or ...	Rs. 12,000.
Total	Rs.24,000.

The panchayat board will therefore have to find out an -- additional sum of Rs.2,500/- to meet the expenditure under the proposed water-supply scheme.

5. According to the normal budget prepared by the District Panchayat Officer, Coimbatore (enclosed) the ordinary receipts of the panchayat board are Rs.46,150/-. For a panchayat board with so large an income it may not be impossible to effect a saving of about Rs.2,500/- or to find additional revenues -- equal to that amount. The panchayat board can therefore take up the proposed water-supply scheme on the basis of half grant and half loan.

pp 21-22

D. Subbaramayasastri
for Inspector.

18.4.46

L.P. 18-4-46.

Doc 194

From the A.S. E.W. Agra

To the P.A. & the Inspr

of Mech Engrs Bdl

Ref to your
3-5-46

Your Inspn letter No. 37133/45

d. 16.4.46 re: W.S.

Kathegal Panchayat 1 p.32

In para 3 of the Inspn letter, it is
said that the surplus balance of
Rs 18,806/ includes a net surplus
of Rs about Rs 9000 under the
Electricity scheme, while crediting
to the D.P.O., the Electricity Scheme is
said to be working at a loss and
is about Rs to be transferred to
D.P.O. Please reconcile the
two statements and specify
clearly what the net surplus

for Rs 9,000 reserves,
and say how it transfers
the amount, there will be a surplus
balance of Rs 10,000 at the close of
1946-7.
Rs
46 If this has been done
under the Electricity act
for any estimated loss
during the next 3
years.

Telephone
Asst Engineer.

C.F. 32.

Local Administration Department | Received Registered

From (Name) K.M.UNNITHAN ESQ., I.C.S. | To

Designation Inspector of Ml. Councils and Local Boards,

Station Madras.

The Secretary to Government, Education & Public Health Department, Fort St. George.

Enclosures: L. Dis. No. 14337/46 dated 9th July 194 6.

Sir,

Subject:- Water-supply Scheme - Kollegal Panchayat Board Coimbatore district - Government Silk Filatures - Financing of.

Ref:- Govt.E.& P.H.Dept.Memo.No.45131-2-45-E2 P.H., dated 22-11-45. p15 ante

This office letter L.Dis.37133-45 dated 16-4-46. p32

Govt.E.& P.H.Dept.post copy of telephonic message dated 3-5-46. p34-35 ante

55/13715

According to the budget estimate of the Kollegal Panchayat Board for 1946-47 the anticipated receipts under the Electric Licence Scheme are Rs.31,703/- and expenditure, excluding capital expenditure, -- Rs.22,434/-. It was therefore reported to Government in this office L.Dis.No.37133-45 dated 16-4-1946 that there will be a surplus of about Rs.9,000/- under the Electricity Scheme (Rs.31,703/- minus Rs.22,434/- = Rs.9,269/-). But the District Panchayat Officer, Coimbatore has since reported that the budget estimate which in the first instance has not been prepared correctly has undergone modifications subsequently and does not present the correct position. The corrections and modifications referred to by him are noted below.

(1) An expenditure of Rs.6,220/- provided for "interest on and repayment of loan" under "Management" relates to Electricity Scheme.

(2) If the above correction is made, the surplus under the -- Electricity Scheme will be as shown below:-

Receipts under Electricity Scheme ...			Rs.31,703/-.
Expenditure under Electricity Scheme as provided in the budget estimate for 1946-47 ...	Rs.22,434/-.		
Deduct provision made under Management by mistake ...	6,220/-.		
			28,654/-
Surplus anticipated under the Electricity Scheme			3,049/-

(3) The budget estimate relating to the Electricity Scheme was subsequently revised by the Chief Electrical Inspector to Government. According to this revision the margin of profit was reduced from the anticipated Rs.3,049/- to Rs.1,893/-.

(4) Subsequently the war time surcharge on energy supplied was reduced by Government (vide G.O.No.818 P.W., dated 30-4-1946) from 55% to 20%. Consequently the receipts were reduced by Rs.5,693/- with the result that the Electricity Scheme is to work with a deficit of Rs.3,800/- (Rs.1,893/- minus Rs.5,693/-).

(5) In addition to the above, an amount of Rs.3,000/- may have to be spent during 1946-47 towards capital expenditure. If this item is also taken into consideration the deficit under the Electricity Account will increase to Rs.6,800/-.

As regards his normal budget, the District Panchayat Officer, Coimbatore says that it was prepared by him after discussing with the Electrical Engineer. However as the District Panchayat Officer says that the budget estimate for 1946-47 was prepared by the Executive Officer of the Kollegal Panchayat Board taking into consideration

various war time measures, it cannot be strictly compared with the normal budget prepared by the District Panchayat Officer. But one thing is certain and that is that the panchayat board is working the Electricity Scheme with a loss, the loss for 1946-47 being anticipated at Rs. 6,800/- as already explained.

According to the budget estimate for 1946-47 as originally prepared, the anticipated surplus was Rs. 18,806/- under the ordinary account. But in view of the above correction and alterations in the budget estimate for 1946-47 the anticipated total surplus at the end of the year will be reduced to the extent shown below.

Total surplus as per original budget estimate for 1946-47 ...		Rs. 18,806/-.
Deduct loss due to revision of the Electricity Scheme Section of the budget estimate for 1946-47	Rs. 1,156/-.	
Deduct loss of income under Electricity Scheme due to reduction in the rate of war time surcharge	5,693/-.	
Deduct capital expenditure under Electricity Scheme not included in the Budget estimate for 1946-47	3,000/-.	
	----------	9,849/-.
Therefore surplus balance as per the revised Electricity Scheme section of the budget estimate for 1946-47 under ordinary account		8,957/-. or 9,000/-.

If the Electricity concern is transferred to Government the general account will be richer by Rs. 6,800/- which is the deficit under the electricity account. That is, the surplus under the ordinary account will be Rs. 8,957/- plus Rs. 6,800/- = Rs. 15,757/-.

The District Panchayat Officer, Coimbatore has also furnished the particulars regarding the loss under the electricity account during the past three years as required by Government in the post copy of their telephonic message referred to above. The figures are given below.

1943-44	Rs. 5,643-11-5	including Rs. 580-13-0	paid towards principal in respect of loans.
1944-45	10,613-12-3	" Rs. 3,897-1-0	-do-
1945-46	10,843-10-9 (approximate)	" Rs. 3,987-1-0	-do-

Copy of letters of the District Panchayat Officer, Coimbatore Roc. No. 1025-46 dated 22-5-1946 and D. Dis. No. 1025-46 dated 25-6-46 are enclosed.

R. Subbarayasastri 18.7.46
for Inspector.

Copy of letter Roc. No. 1025/46 dated 22-5-1946 from the District Panchayat Officer, Coimbatore, to this office.

Sub:- Water-supply scheme - Kollegal Pt.Bd. - Coimbatore district Government Silk Filatures - financing of.
Ref:- Your Roc. 14337/46-F3 dated 9-5-46.

The budget prepared and submitted by the Executive Officer indicated an estimated profit of Rs. 3049/- from the electric licence scheme. His statement in the pen-ultimate para of his Roc. 1441/45 dated 18-12-45 accompanying the budget is incorrect. A sum of Rs. 6220/- provided under expenditure ordinary "4 interest on and re-payment of loan" relates to electricity scheme. If this is taken into account there will be (according to the budget submitted by the

Executive Officer) a receipt of Rs.31703/- and an expenditure of Rs.28654/-.

The budget relating to the electric scheme was subsequently revised by the Chief Electrical Inspector to Govt. of Madras. According to that revision the margin of profit was Rs.1893/- as against the Executive Officer's expected profit of Rs.3049/-.

After these two estimates were made, the Govt. in their G.O. No.818 P.W. dated 30-4-46 fixed the war time surcharge on energy supplied, at 20% as against the prevailing rate of 55%. This is expected to result in a reduction in receipt from Rs.8946/- to Rs.3253/- i.e., a reduction of Rs.5693/- p.a.

In 45-46 and 46-47, the Executive Officer took credit for receipts of Rs.30,000/- and Rs.20,000/- respectively of loans towards cost of development of the electricity scheme. But in fact no loan was raised in 45-46. Nor is it anticipated that any such loan will be raised in 46-47. Actually Rs.4357/- was spent as capital expenditure in 45-46 and another sum of Rs.3,000/- would be spent this year. These expenditures have to be met from the general funds.

Thus it will be seen that the general funds of the panchayat board has to meet on account of electricity an extra amount about Rs.11,000/- as shown below.

Capital expenditure in 45-46	...	Rs.4,357-0-0.
-do- 46-47	...	3,000-0-0.
Deficit in estimated profit accordingly to budget as prepared by the Executive Officer and as revised by the Electrical Engineer:- 3049/- 1893 = 1156		1,156-0-0.
Reduction in income due to G.O. on war time surcharge		5,693-0-0.
	Total	14,206-0-0.
Deduct estimated profit according to budget of the Executive Officer		3,049-0-0.
	Balance	11,157-0-0.

In the normal budget prepared by me I took credit for an income of Rs.13,500/- and provided a total expenditure of Rs.24,000/- on the electricity scheme. If this scheme goes out of the management of the panchayat board, the general account of the panchayat board will be richer by Rs.10,500/- which is the difference between the receipt and the expenditure on electricity.

The capital expenditure on electricity may not on the whole constitute a present loss. But it is an investment of doubtful future profit and involves an unlimited financial commitment for the future. If the electricity scheme is retained with the proposed water-supply scheme then the general funds of the panchayat board will have to support two series of loan transactions, the extent of which may not be foreseen clearly now. The loss under the electricity account during the past 3 years were Rs.5643-11-5; 10613-12-3 and Rs.10843-10-9 (the figures for 45-46 the last one is only approximate). These amounts included Rs.580-13-0, 3897-1-0 and 3987-1-0 respectively of repayment of the principal in respect of the loans raised on account of this scheme.

I herewith enclose a copy of my letter L.Dis.2380/45 dated 23-1-46 and the normal budget prepared and submitted by me.

Copy of letter D.Dis.No.1025/46 dated 25-6-1946 from the District Panchayat Officer, Coimbatore, to this office.

...

Sub:- Water-supply - Panchayat Board - Kollegal - Coimbatore district - Government Silk Filatures - financing of - Your Roc.14337/46-E3 dated 15-6-46

...

I submit that the budget for 1946-47 as prepared and submitted by the Executive Officer took into consideration various war time measures. In preparing my normal budget, I took into account, the receipts and charges for 44-45 and after discussing with the -- Electrical Engineer, I came to the conclusion that the receipts and charges for 44-45 may be taken as a reasonable basis for coming years. At that time, I knew that the budget estimate for 45-46 and 46-47 did not represent the normal. In my last letter viz. Roc. 1025/46 dated 22-5-46, also, I pointed out the disparity between what was anticipated in the budget and what happened and are likely to happen after the budget was prepared.

I herein enclose a copy of receipts and charges for the three years ending 1944-45, furnished by the Electrical Engineer during my visit to Kollegal. The accounts for 1945-46 are not available.

"TRUE COPY"

D. Subbarayasastri 11/7/46

Personal Assistant.

10/7

5/31/8

E2 P.H (H)
-10

C.no 37779 from the Insp.T. of Mlds & Lds no 14327/46 d 9.7.46
p3 table 2nd
Sub: Water Supply - Kollegal Panchayat and Govt. Silk filatures - Kollegal
Memo 45131/45-6-H (P.H) dated 28.8.46

In Connection with the installation of a water supply scheme for the Kollegal Panchayat (from which water will be supplied to the Silk filatures also by the Panchayat on payment of charges) it is found that the Panchayat will be able to finance the scheme only if the Panchayat Electricity Scheme Concern which is now reported to be working at a loss is taken over by the Govt. The question of acquisition of the Kollegal electric scheme by Govt is under Consideration as part of the Kollegal Electricity distribution scheme. The C.E (Electricity) is requested to state how far this acquisition by Govt will relieve the Panchayat financially.

(P.T.O)

2. The Director of Industries & Commerce is in this connection requested to state what quantity of water is likely to be required for the use of the Combined Silk filatures at Kollegal if water is taken from the Panchayat W.S. Scheme.

To
The C.E. (Electricity)
Director of Industries & Commerce

INDUSTRIES AND COMMERCE DEPARTMENT.

From: A. Khaleeli Esq., I.C.S.,
Director of Industries &
Commerce, M a d r a s.

To The Secretary to Government,
Education and Public Health
Department, M a d r a s.

Sir,

Sub: Water supply - Kollegal Panchayat and Govt. Silk Filatures - Kollegal.

Ref: Govt. Memo No.45131/45-6H (PH) Education and Public Health Department dated 28-8-1946

About 60,000 gallons of water per day will be required for the use of the amalgamated Government Silk Filatures at Kollegal.

for Director of Industries & Commerce.

From
C.B.Rajasingh Esq. B.A.B.L.
Executive Officer,
Panchayat Board,
Kollegal, Coimbatore District.

The ~~xxxxxx~~ Secretary to the Government
Education & Public Health Department,
Through
The Inspector of Local Boards,
Madras.

Sir,

Sub: Water Supply Scheme- Kollegal Panchayat Board- Coimbatore District- Sanction- Requested.

Ref: Letter No. 37133/45 dated 16th April 1946 of the Inspector of Local Boards, Madras.

I beg to invite your kind attention to the proposed water-supply scheme for this Panchayat area and request you to expedite the proposal as the water scarcity is being felt keenly by the public.

S.B.Rajasingh.
EXECUTIVE OFFICER. 9/11.



Office of the Inspecting Local Bds.
No. 38842.46 dt 19.11.46
Forwarded
2. Attention is
invited to my letter No. Lrdis.
C 32 dt 37133.45 dt 16.4.46
D. Subbarayagaastri
19.11.46
To the Secy to Govt
COPY NEXT.

57/27/11

EE(PHCH)

C.no 71535 From the Executive Off.r Kollegal P.Bd letter dated nil.
---- p1 2r1 End1 of the Insp.r N.Dis 38342/46 dt 19-11-46 ----
Sub: Water Supply Scheme — Kollegal Panchayat - (Coimbatore Dt)
Ref. memo 45130/45-16-Hr dated 22-11-46 from Mer, Kollegal Panch.Bd.

The ~~Inspector of Mi Cls & L.Bds~~ is informed that the matter is under Correspondence with the Chief Engr (Electricity).

The Insp.r of Mi Cls & L.Bds
25/11/46. 25/11/46

The Executive Off.r
Kollegal P.Bd
(Coimbatore)

Note: P1 see the reminder letter from the Executive Off.r on p1&2 C.F. The reply of the CE (E) to the memo on p1 OCF is awaited. The Insp.r may be informed of the position. The draft above is for approval

25/11/46. 25/11/46

ELECTRICITY DEPARTMENT.

From

The Chief Engineer for Electricity,
Chepauk, Madras.



The Secretary to Government,
Education & Public Health Department, Madras.

No.7644 G/46-4 dated 18th February 1947.

S i r,

Sub: Water supply - Kollegal Panchayat Board & Govt. Silk Filatures-Kollegal.
Ref: Govt. Memo No.45131/45-6 (PH) d/ 28-8-46.

The valuation of the Kollegal undertaking done by the Chief Electrical Inspector to Government is under scrutiny. So precise figures cannot be given, but it appears likely that the balance of loan due could be paid off. So the Panchayat Board will be sanctioned future annuity payment which is understood to be Rs.070/- per annum and of course there would be no further loss in running the electricity distribution chitable to the Panchayat.

N. Venkataraman 24/2

for Chief Engineer (Electricity).

24.2.47.

C.F.S. Edn & Public Health DEPARTMENT.

REMINDER. Public Health *Branch.*

To THE ~~OFFICER~~ Chief Engineer P.W.D.

136. Electricity

I ~~have the honour to invite~~ ~~am directed to invite~~ attention to Govt. Memo

No. 5131/45-6-14 P.H. dated 28-8-46 and your

L.W.D. 76449/46-4 dated 18-2-47

to request that the reply to it may be ~~expedited~~

~~request that this reminder may be returned at once with information as to~~—

(1) the stage at which the matter now is, and

(2) the date by which a reply may be expected, ~~and~~

(3) ~~the circumstances which have caused the delay.~~

By order

C. P. Anjaneyachetty

Office Secretariat. **Signature.**

Station Fort St. George (for) Secy. to Govt.

Dated 14.5.47 **Designation.**

SUBJECT.

Water Supply - Kollegal P.W.D

Silk filatures.

[P.T.O.

Audit No. 136 P/47-F dt 23.5.47.

C.F.

REPLY.

To The Asst. Secretary to Govt.
Edn. & Pub. Health Dept,
Madras.

27 MAY 1947
44481
EDUCATION AND PUBLIC HEALTH DEPARTMENT

Inspection of purchase value of the Kollegal Undertaking is under the (confidential) consideration of Govt. in the P.W.D.

N. Venkatarama
23/5

for Chief Engineer for Electricity.

Kpk
22-5-47.

48 Edn. H. Legn. (H)

Page 40 C.F.

1147 C.F. Read also

Read grain Govt Memo. No. 45131/45-6-H-P.H., dated 28.8.1946 from the C.E. for Electricity, Endt No. 136 P/47-F, dated 23.5.1947.

Water-Supply — Kollegal Panchayat and Govt Silk Filatures, Kollegal — Transfer of Electricity undertaking to rhein Panchayat Board of financial burden.

Memo No. 45131/45-34-H1-P.H., dated 2-11-48

Dp. (L) 2/11/48

Page 47 C.F.

para 1 & PWD note

opposite No. 3 - 2 C.F.

The attention of the C.E. for Electricity is invited to his reply to a reminder in his Endt cited above (copy enclosed). It is understood that the Kollegal Panchayat Board has since agreed to the British method of valuation of its Electricity undertaking and was therefore asked to hand over the undertaking to the Govt Electricity Systems/Wires. It is presumed that the transfer has been duly effected.

para 2 dealt with in the P/W note

P/W 4/11/48

2. The C.E. for Electricity (with copy of P. 4 C.F.)

The C.E. is, therefore, requested to give precise figures now regarding the financial relief to the panchayat Board resulting from the above transfer, with full explanations thereon.

Q. 10/11/48

ETPH (47)

P 45 Cf From the C.E (E) L.No 7644 G/46-4(d) 18-2-47

P 47 Cf " the C.E (E) E No 136 P/47-F (1) 23-5-47

Sub: Water supply Scheme - Kollegal Panchayat - Coimbatore Dt)

MEMO:

The attention of the C.E for (E) is invited to Govt Memo No 45131/45-6-H (P.H) dated 28-8-46 (copy and relevant papers) P 40 Cf

It is understood that the undertaking has since been taken over by the Govt. with effect from 1-10-48. The C.E is requested to give precise figures P 45 47 Cf regarding the financial relief to the Panchayat Bd, Kollegal on account of above transfer, with full explanation thereon. P Bom P 27 Cf

A very early reply is requested.

30-10-48

To
The C.E for
Electricity
(with copy of p. 47 Cf)

(P.W. for file)

ELECTRICITY DEPARTMENT

From
The Chief Engineer
for Electricity,
Chepauk, Madras.

To
The Joint Secretary to Government
Education and Public Health
Department, Madras.

478

No.205P/47-37 dated 30-12-48.

Sir,

Sub:- Water Supply - Kollegal Panchayat and Government Silk Filatures, Kollegal Transfer of Electricity Undertaking to relieve Panchayat Board of financial burden.

Ref:- Government Memo.No.45135/45-34 Hl.P.H.dated 2-11-48.

I give below an extract of Chief Electrical Inspector to Government's letter No.5337LA/46-43 dated 22-12-48 furnishing precise figures regarding the financial relief to the Kollegal Panchayat Board, resulting from the transfer of the Kollegal Panchayat Board Electrical undertaking to Government on 1-10-48 with explanations thereon:-

" It has been ascertained from the Executive Officer Kollegal Panchayat Board that the electrical undertaking was handed over to Government on 1-10-48, agreeing to the basis of valuation as recommended by Government in Public Works Department Memorandum No.1244E/47-28 dated 11-9-48.

2. The total amount borrowed as loan by the electrical undertaking for capital expenditure only and outstanding repayment on 31-3-48 is reported to be as follows:-

Source of borrowing.	Amount borrowed.	Amount outstanding repayment on 31-3-48.
	Rs.	Rs.
1) Coimbatore District Board	80,000	66,427--8--0
2) Consumers security deposits invested in the electrical undertaking	2,755	2,755--0--0
3) Government	16,000	11,758--9--0
4) General funds of the Panchayat Board	5,245	5,245--0--0
Total.	1,04,000	86,186--1--0

3. It has also been reported by the Executive Officer that the proportionate annuity upto 30-9-48 is to be paid by the Panchayat Board on the Government and District Board loans. The instalments of annuity on the government and Distribt Board loans are Rs.1177 and Rs.4893 respectively and for the period 1-4-48 to 30-9-48 the amounts payable may be approximately taken as Rs.589; and Rs.2447 respectively. Deducting these, the total amount of loan outstanding on 1-10-48 (the date of taking over of the undertaking by Government) in respect of capital expenditure only will be Rs.86,186-1-0 (589 plus 2447) or Rs.83,150 (rounded off to the nearest rupee).

4. In accordance with Public Works Department Memo. No.1244E/47-28 dated 11-9-48, the amount payable as compensation to the Panchayat Board by Government for transfer of the electrica undertaking on 1-10-48 will therefore be Rs.83,150 and to this extent the financial burden of the electrical undertaking will be relieved. The annual annuity charges of about Rs.6,000 will no longer have to be paid. The yearly revenue losses used to be met from general pevenue. This need not be done in future.

5. The Executive Officer has also reported that no loan was taken from the general funds and other sources for meeting the deficits in Operation and Maintenance expenditure of the electrical undertaking upto 1-10-48. The entire loss in the undertaking is reported to have been met from the General Funds of the Panchayat Board and the same treated as contribution from the Panchayat Board."

N. Venkataramana

FOR CHIEF ENGINEER (ELECTRICITY).

VAG.30/12.

RA 3/1

E+P.H(H)

p1 c/f From the C.E.P.W.D.(B+O) L.No 2673-WPH/44-10(d) 6-10-45.

p50 c/f " the C.E.(E) L.No 205P/47-37(d) 30-12-48

Sub:- Water supply Scheme -

Kollegal Panchayat (Coimbatore Dt)

D

MEMO: 45131/48-4-H1, P.H(d) 17-1-49

In his letter read above 6.X45 the C.E.(E) has stated that a combined water supply scheme to the Kollegal Panchayat and the two silk filatures would cost Rs 5-83 lakhs to instal and Rs 12,000/- annually to maintain. ~~As the conditions have changed since the~~ the C.E. is requested to report whether the estimate needs any revision ~~and if so~~ the ~~C.E. is requested to furnish~~

P.T.O

p2 c/f This runs over 3 years & since the estimate was prepared and it is learnt likely that the cost would be much higher now.

26/53

~~both parties to be moved to~~
~~work early date.~~

2. The Panchayat Board, Kollegal has agreed to bear half the cost of the combined scheme and to supply the water required by the Silk filatures. The Director of Industries and Commerce has reported that about 60,000 gallons of water per day would be required for the use of the amalgamated Silk filatures. The C.E. is requested to state the rate at which the water supplied to the filatures is to be charged.

ces
8.1.49

16.1.49

To
~~The C.E for Irrigation~~ (Cl Branch)

To
The C.E for Irrigation
(Elt Branch)
one Spare Copy

C.F. 98.

E T P H

Dr.

REMINDER.

To The Chief Engineer for Public Health Engg. Govt. of Madras

Dated the 13th FEB 1949

The honour to invite attention to Govt Memo No. 1220/45-4-H(PH) dated 17-1-49 and to request that the reply to it may be expedited.

~~request that this reminder may be treated as urgent~~

~~with information as to—~~

(1) the stage at which the matter now is an

(2) the date by which a reply may be expected and

(3) ~~the circumstances which have caused the delay.~~

(By order)

Office Secretariat

Station Fort St George

Signature. C. Ahmed

(for) A.R.M. Secy to Govt

Designation

Dated 14.2.49

SUBJECT.

Water supply Scheme - Kollegal Panchayat (Coimbatore Dt)

14.2.49

[P.T.O.

1220 Pww/49 9/3/49

REPLY.

To The Secretary to Govt
Sd Hqrs

Sir,

I have the honour to report that the meeting called for tomorrow the Sunday 11th inst. at 4 p.m. is awaited. Copies of the report will be submitted to Govt.

I have the honour to be
Sir
Your most obedient servant
Venkataraman
for Chief Engineer

E+P II (H1)
L.O till 3-4-49
3.3.49
cct
3.3.49

26

PWC 2535

OFFICE OF THE CHIEF ENGINEER, P.W.D.
Public Health Br.
APR 1949
Secretariat
GENERAL (MADRAS)

REMINDER.

To The Chief Engineer for Irrigation (Madras Branch)

I ~~have the honour to invite~~ am directed to invite attention to Govt Memo No. 45131/45-4-141,911 b54 dated 12.1.49

to request that the reply to it may be ~~request that this reminder may be returned to us~~ with information as to—

(1) the stage at which the matter now is and
(2) the date by which a reply may be expected and
(3) ~~the circumstances which have caused the~~ delay.

By order

Office Secretariat

Station Fort St George

Dated 5.4.49

C Ehmed
Signature.
(for) Asst Secy to Govt
Designation.

SUBJECT.

Water supply Scheme - Collegal Panchat (Coimbatore Dt)

DG. 7/4

[P.T.O.

535 Pwn/Lab 8/6/5/4 a.f. 26

REPLY.

To The Secretary to Govt
E+PH

Sir,

The report of the Analyst Engr is awaited, and he being reminded to expedite it this office. On its receipt a reply will be submitted to Govt.

Yours obedt Servt
Executive Engineer (S)
5-5-49

SECRETARIAT TO GOVERNMENT
5518
7 MAY 1949
PUBLIC HEALTH DEPARTMENT

E+PH(H1)

Reminds L-0 dtd 8-6-49

memo reminded to E. set mine
8-5-49 E+PH

I.F. OFFICE D... The Chief Engineer

G. No. E + P 14 — 3302/1

— MAY 1949 — DEPARTMENT...

REMINDER. Public Health Branch.

To THE GENERAL MADRAS. Engineer for

Irrigation (General Branch)

I ~~have the honour to invite~~ am directed to invite attention to Govt Memo

No. 45 131/45-4-H1, P11, dated 17-1-49

to request that the reply to it may be ex...

~~request that this reminder may be returned at once with information as to~~

(1) the stage at which the matter now is, and

(2) the date by which a reply may be expected, and

(3) the circumstances which have caused the delay.

(By order)

Office Secretariat

Signature. C. C. Mhich

Station Fort St. George

Designation. for Asst Secy to Govt.

Dated 3.5.49

SUBJECT.

Water supply Scheme -

Kollegal Panchat (Coimbatore Dt)

DH 7/5

55/49

[P.T.O.

R.2/49
11/5/49

REPLY.

To The Secretary to Govt
Edn Dept.

3645/
Edn

The Sanitary Engr. from wh. a report was called for, has been reminded to expedite the submission of the report. On its receipt a reply will be submitted to Govt.

Engr. may advise
11.5.49
Engr. Inter (B)

ASSISTANT SECRETARY TO GOVERNMENT
12 MAY 1949
EDUCATION AND PUBLIC HEALTH DEPARTMENTS

11-5-49

E+PH(H)

Please see the interim reply from the C.E at p blanks. He may be reminded on 8-6-49 if necessary.

12.5.49

CES

64/CTPH(HI)

p61/g From the C.E, P.W.D (Buildings) I No 3302 PWW/49 dt 11.5-49

Subt:- Water supply Scheme - Kollegal Panchat (Coimbatore Dt)

MEMO:- 45131/45-5-H1, PH (d) 15-6-49

The Addl, C.E, P.W.D. is requested to submit his reply to Govt Memo No 45131/45-4-H1, PH, dated 17-1-49, on the above subject, at an early date.

p54/g

To
The Addl
C.E, P.W.D

16-6-49
CE
15/6/49

The Govt

PUBLIC WORKS DEPARTMENT.

From

Sri M.S.Tirumale Ayyangar, B.E., M.I.E., I.S.E.,
Chief Engineer, P.W.D.(Bldgs).,
Chepauk, M a d r a s.

To

The Secretary to Government,
Education and Public Health Department,
Fort St. George, M a d r a s.

Letter No.533-PW/49-3, dated 30-6-1949.

Sir,

Water Supply Scheme--Kollegal Panchayat (Coimbatore District).
Ref:- Education and Public Health Memorandum No.45131/45-5 H1-P.H., dated ~~15-6-1949~~ 15-6-1949.

51375 The report called for from the Sanitary Engineer is awaited, and he is being reminded also in the matter. On receipt of his report, a reply will be submitted to Government.

for Chief Engineer, PWD.(Buildings).

ssc/30-6.

E+P.H(H.)

p66f From the C.E., P.W.D(B) L.No.633-PWW/49-3 (d) 30.6.49

Sub:- Water supply Scheme Kollegal Pancht (Coimbatore Dt) -

MEMO:- 45131/45-6-H1, PH(d) 3.8.49

The Addl C.E, P.W.D is requested to state in what stage the matter is and when his final reply may be expected to reach Govt.

To

The Addl C.E, P.W.D

2.8.49

2.8.49

H
Tas3

SPECIAL.

Office of the Chief Engineer, P.W.D., (General), Chepauk, Madras.

***

ENDORSEMENT No. 533 PWW/49-5, DATED 17TH AUGUST 1949.

Education & Public Health Department.
Memorandum No.45131/45-7-H.1.P.H., dated 3-8-1949.

-:-

Subject: Water Supply Scheme - Kollegal Panchayat (Coimbatore District).

***

ASST. SECRETARY TO GOVERNMENT
EDUCATION AND PUBLIC HEALTH DEPT.
63851
21 AUG 1949
23

Copy forwarded to the Sanitary Engineer in continuation of this Office endorsement No. 533 PWW/49-4, dated 30-6-49, and he is requested to expedite action and state very urgently, when his report can be expected in this office.

M.S. THIRUMALAI AYYANGAR,
Chief Engineer, P.W.D., (Buildings).

To The Sanitary Engineer.

ENDORSEMENT No. 533 PWW/49-6, DATED 17TH AUGUST 1949.

***

Copy submitted to Government.

2. On receipt of the Sanitary Engineer's reply a further report will be submitted to Government.

for Chief Engineer, P.W.D.(Buildings).

To The Secretary to Government,
Education and Public Health Department,
Fort St. George, MADRAS.

vg 17.8.

E+P H(H1)

Please see the interim reply fro the C.E at p 70 ante. His further report in the matter may be awaited till 20-9-49

23.8.49
CES

D.O.No. 45131/45-7-H1, PH(d) 21-9-49

Dear Sir,

Sub: Water supply Scheme
Kollegal Panchat (Coimbatore Dt)

I am to invite your attention to ~~your Endt No~~ the correspondence ending with your Endt No 533 PWW/49-5 dated 17-8-49 and to enquire when a final reply in the matter may be expected.

20/9/49
CEO
20.9.49

21.9.49

To
Sri. M.S. Thirumale
Ayyangar, B.E,
M.I.E, I.S.E.
Additional Chief Engineer.
P.W.D
Bank, Madras.

D.C.No.533 PWW/49-7

Office of the Chief Engineer, P.W.D.
(General), Chepauk, Madras.
Dated 4th October 1949.

ASSISTANT SECRETARY TO GOVERNMENT
05 OCT 1949
EDUCATION AND PUBLIC HEALTH DEPARTMENT

~~Dear Sir~~, My dear

Sub: Water Supply Scheme - Kollegal Panchayat -
(Coimbatore District).

76850

Ref: Your D.O.No.45131/45-7 H.1.P.H., d/21-9-49. to Sri Thirumale Ayyangar, Addl. Chief Engineer, P.W.D.

The Sanitary Engineer's report in the matter has not yet beer received. I am reminding him demi officially to expedite it, fixing a definite date for its submission. On receipt of his reply, a final report will be sent to Covernment.

Yours sincerely,

(A.R.VENKATACHARI)

To

Sri I.Balakrishna Menon, B.A.,
Assistant Secretary to Government,
Education & Public Health Department.

E+P.H(H1)

The C.E's final reply may be awaited till 5-11-49

Public Works Department.

From	To
Sri A.R.Venkatachari, B.E., MIE(Ind) M.Am.Soc.C.E., I.S.E. Chief Engineer, P.W.D.(General), Chepauk, M a d r a s.	The Secretary to Government, Education and Public Health Department, Fort St. George, M a d r a s.

Letter No.533-PWW/49-9, d/28-10-1949.

Sir,

Water Supply Scheme--Kollegal Panchayat--Coimbatore Dt.
Ref: Government Memorandum No.45131/45-4-H1-P.H., dated 17-1-49 and correspondence resting with D.O.No. 533,PWW/49-7, dated 4-10-1949.

I forward herewith a copy of letter No.2288-1/49/7-11-P-WS. dated 6-10-1949 from the Sanitary Engineer which furnishes the particulars required by Government in the Memorandum read above.

ASSISTANT SECRETARY TO GOVERNMENT
31 OCT 1949
PUBLIC HEALTH DEPARTMENT

for Chief Engineer, P.W.D.(General).

Enc.- Sanitary Engineer's letter with enclosures.

Copy to the Sanitary Engineer.

ssc/28-10.

Office of the Sanitary Engineer to Govt.,Madras.

No. 2288-1/49 /7-11-P.WS d/6-10-49.

To The Chief Engineer, I.D.D.,
Genl. Madras.

Sir,

Sub: W.S. scheme- Kollegal Pt.- Coimbatore Dt.-

Ref. C.E.'s Endt.No.535 PWW/49-1 d/17-2-49, and reminders thereon.

The approximate cost of a combined scheme to the Kollegal Panchayat and the 2 Silk Filatures, at current rates would be Rs.7,85,400/- to instal and about Rs.14,000/- to maintain annually - vide details enclosed.

The rate at which water to be supplied to the Filatures is to be charged , may be fixed at 8 annas per 1000 gals. - vide details enclosed.

Encl:
1 abstract estimate.
1 details for maintenance Est.
1 detail for rate of cost).

for Sanitary Engineer to Govt.

DSR/6-10-49).

E-10-49.

82 ab.

The initial cost of the scheme at current rates as now worked out in the attached sheet below comes to Rs.7,85,400/- and about Rs.14,000/- to maintain annually.

Assuming half cost to be borne by the Panchayat, the amount works to 3,92,700/-. The annuity on half capital cost = at 3½% for thirty years would be 3,92,700 x 0.05437 (3.927 x 5437) = 21350. Including maintenance cost this amount comes to Rs.35,350.

The cost per day for 2,90,000 gallons = $\frac{35350}{365}$

Cost per 1000 gallons = $\frac{35350}{365 \times 290}$ = Annas 5.3

Allowing an extra 50% it would come to 5.3 + 2.7 = 8 annas or (say) 0-8-0.

Rank
8/10/47

ESTIMATE FORM - Abstract.

Item No.	Quantity	Description of work	Rate	per	Amount	Total
		WATER SUPPLY SCHEMES TO KOLLEGAL AND SILK FILATURES.				
1.		Compensation for land.			5,000 - -	
2.		Off-Take arrangement			5,000 - -	
3.		Suction well.			6,000 - -	
4.		Motor and pumpshouse with a clear water reservoir of ~~this capacity~~.			50,000 - -	
5.		Motor and Pump 5 B.H.P. lift			6,000 - -	
		" " " 20 B.H.P. lift			20,000 - -	
		Pipe fittings			4,000 - -	
6.		Filter house			40,000 - -	
7.		Coagulating Tank.			30,000 - -	
8.		Filter Plants.			80,000 - -	
9.		9" Pumping main 12700 feet	10/-Rft		1,27,000 - -	
10.		Service Reservoir (under ground) masonry 1,00,000 gallons capacity.			60,000 - -	
11.		Pipe fittings.			5,000 - -	
12.		Distribution system about 5 miles.			1,60,000 - -	
13.		Watchman & Driver's quarters			8,000 - -	
14.		Fencing the head works and service Reservoirs.			8,000 - -	
15.		Road along pumping main.			20,000 - -	
					6,24,000 - -	
		Unforeseen works 4%			25,000 - -	
		Contingencies 5%			31,000 - -	
					6,80,000 - -	
		Centage Charges at 15%			1,05,400 - -	
		GRAND TOTAL ESTIMATE		Rs.	7,85,400 - -	

For Sanitary Engineer to Government.

RK/7.10.49.

Annual maintenance charges as per old establishment	Rs.	12,000	- -
Dearness Allowances		2,000	- -
Total	Rs.	14,000	- -

8-10-49.

From the C.E, P.W.D (Buildings + Defence)
L.No 2673-WPH/44-1(1) dt 6.10.45

" the Inspr of Mls Cls + LBds L.Dis No 37133/45 dt 16.4.46 + 9-7-46

" the C.E (Electricity) No 205 P/47-37 dt 30-12-48

" the C.E, P.W.D, L.No 533-PUW/49-9 dt 28/10/49

Sub: Water supply scheme - Kollegal Panchayat (Coimbatore Dt) Preparation of plans and estimates Sanctioned

ORDER/MS 4254 PH, dated 30.11.49

Govt in Ro 1974 PH dated 11-7-44 the Govt Sanctioned the investigation of a combined water supply scheme for the Kollegal Panchayat (Coimbatore Dt) and the Govt Silk Estates, Kollegal. The scheme has been investigated and the Chief Engineer, P.W.D has reported that the approximate cost of the combined scheme, at current rates, will be Rs 7,85,400 to instal and about Rs 14,000 per annum to maintain.

2. In accordance with the decision in Ro 1488, PH, dated 25-4-49 the financial aspect of the scheme will be examined after the plans and estimates for the scheme are prepared. In the circumstances the Govt sanction the preparation of detailed plans and estimates for the combined water supply scheme of the Kollegal Panchayat

P.T.O

and the Govt Silk Filatures, Kollegal

2.11.49

CO
4/11/49

30

The E.O. P.Bd
Kollegal
Coimbatore Dt

The P.Bd

The Superintendent of Mills
Tirupur

The C.E., P.W.D
with plans in duplicate

Copy to the DD of Sericulture

Copy to the
Development Dept

2. S/C

Entered in the Despatch Register

(Entered in the Despatch Register)
entered

LOCAL AD INISTRATI DEPART T

Roc.No.1133/49-A1. Kolle al Panchayat Board Office,
Dated the 6th January, 1950.

From
Sri L.V.Ramakrishna Secretary to the Government of
Executive Officer (Dele) Madras,
Panchayat Board, Kollegal Education & Public Health ,
Fort St. George, Madras.

Thro' The Inspector of Municipal Councils
and Local Boards, Madras.

Sir,

Sub: Water Supply scheme - Kollegal Panchayat Board (Coimbatore District) - Preparation of plans and estimates...
Ref: G.O.Ms.No.4254 P.H. dated 30-11-49.

- : -

I submit that the above G.O. was placed before the Panchayat Board for information. The board has while recording the G.O. passed a resolution requesting the benign Government to arrange to execute the water supply scheme as expeditiously as possible. A copy of Panchayat Board Resolution No.112 dated 3-1-50 is herewith submitted.

I request that a copy of G.O.No.1488 P.H. dated 25-4-49 specified in para 2 of the above G.O. may kindly be supplied to this office for record as the same has not been received.

Submitted,

L.V. Ramakrishna 7.1.50
EXECUTIVE OFFICER(Dele)

M.S. Subramanyam 7.1.50.
VICE-PRESIDENT,
Panchayat Board, Kollegal.

7-1-1950

SVV/6.1.50.

5943/W

18

3 2

(M)

(M)

To

The E.O. P.S.D.,
Kollegal
(Courtesy)

Thro the P.P.S.D.
with (M) ~~enf~~.

From the E.O. P.S.D., Kollegal. Roc No. 1138/49-A1 dt. 6.1.50

" the Supdt of Mil. Dsts + Bds, N. Dis 2009/50 dt. 20.1.50

Sub:- Water supply - Kollegal Panchayat (Courtesy) - Copy of ~~G.O.~~ 1488 P.H dated 25-4-49 -

MEMO:- 5943-W/50-1-P.H.dt. 2-2-50

A copy of G.O 1488 P.H dated 25-4-49 is furnished herewith.

31/1/50

27-1-50
CE
28.1.50.

Note:- Please see the letter from E.O. P.S.D., Kollegal at p1q.

5943/W

p1g

From the E.O. P.W.D., Kollegal. Roc No. 1138/49-A1 dt 6.1.50

p5g

" the Supdt of Mfd. Cls + Bdrs, N Dis. 2009/50 dt 20.1.50

Sub:- Water supply - Kollegal Panchayat (Coimbatore Dt) - Copy of ~~G.O.~~ G.O. 1488 PH dated 25-4-49 -

MEMO:- 5943-W/50-1-P.H dt 2-2-50.

A copy of G.O 1488 P.H dated 25-4-49 is furnished herewith.

31/1/50

18 2 / 3 2

(M)

D

(M)

6/2/50

the E.O. P.W.D., Kollegal (Coimbatore Dt) thro the P.W.D. with (M)

27-1-50

CC 28.1.50

Note:- Please see the letter from the E.O. P.W.D., Kollegal at p1g. The P.W.D

- In its resolution at p 3 C F has requested Govt to get the water supply scheme of the pancht executed as expeditiously as possible. It may be noted that the preparation of plans and estimates of the scheme has been sanctioned in Go 4254 P II (d) 30-11-49. As the scheme has been included in the pancht plan approved by Govt it will be taken up by the C.E now. No action seems necessary.

2. A copy of Go 1458 P II dated 25-4-49 may be furnished to the E.O of the P Sd as desired by him. The draft memo overleaf is for approval. After issue the papers may be filed with the Govt (V)

27.1.50

CES

28.1.50

31/1

p3/4

V/p/84 of govt part-4

(M)

p1/4

Sub:- Water-supply - Kollegal Panchayat Board (Coimbatore Dt.) and the Govt. silk filatures, Kollegal - scheme - Investigation Report.

Read:- G.O.No.1974 P.H., dated 17-6-1944.

G.O.No. 2554 P.H., dated 1-10-1945.

C.No.45131. From the C.E.,P.W.D.,(B&D), No.2673 Wph/44-10 dated 6-10-45.

In G.O. 1974 P.H., dated 17-6-44, the Govt. sanctioned the investigation of a water-supply scheme for Kollegal Panchayat Board and/or the Government Silk filatures in Kollegal. The C.E., has now sent the investigation report ~~found on~~ (pp.3-8 c.f) Two sources have been investigated - (i) the Cauveri and (ii) the Swarnavathi. Though the latter source is cheaper, it is definitely ruled out, as the water from that source is unsuitable. - vide portion 'p' on page 6 c.f. The only source that remains is the Cauveri. A combined scheme for the Panchaya and the Silk filatures has been drawn up. The C.E. states that the results of investigation have revealed that the only source suitable fo the filatures is the surface water of the river Cauveri and that it is desirable to have only the combined scheme of providing water-supply to the Panchayat Board and the silk filatures. The C.E's view may be concurred in. This scheme will after installation be vested in Pa. Panch. Bd: for maintenance - vide the last sentence in para 2

pp 1-2 c.f

2. The cost of the scheme worked out at current rates is estimated at Rs.5.83 lakhs to instal and Rs.12,000 annually to maintain. The question is how the capital cost and the maintenance charges should be apportioned, as three different agencies are involved viz., the Govt. of India (in respect of the Govt.of India silk filature), the Provl.Govt. (in respect of their silk filature), and the Panchayat Board (in respect of the town supply). To the capital cost of the scheme has to be added the cost of investigation also, which is Rs.4,050, and apportioned likewise.

3. The C.E. has sent two statements showing the capital cost and the maintenance charges (1) of the combined scheme for Kollegal Panchayat and the silk filatures, and (2) of a separate scheme for the silk filatures only. The difference of the costs given in the two cases will pertain to the Panchayat Board. The cost will be as follows:

	Silk filatures.	Panchayat Board.
Capital cost	Rs.2.34 lakhs.	Rs.3.49 lakhs.
Annual maintenance charges.	Rs.4,500	Rs.7,500
Investigation charges	(Rs.4,050 to be borne proportionately).	

4. The cost on account of the Silk filatures have to be borne by the Provincial Govt., and the Govt. of India. Development and Finance departments may consider how this may be apportioned between the two Governments.

So far as the Panchayat Board is concerned, a half grant will be given towards the capital cost and the balance of the capital cost viz., Rs.1.745 lakhs should be found by the Panchayat Board, apart from the annual maintenance charges of Rs.7,500/- and a proportionate share of the investigation charges. The Panchayat Board and the Inspr. will have to be consulted whether the Panchayat Board can finance the scheme at the costs noted above either from its funds or by a loan from Govt. It is seen from the S.E's report that the members of the Panchayat Board, the President and the Executive Officer represented earnestly that the water-supply scheme should include also the Panchayat and that the Board is prepared to meet its share of the total cost. If it is found that the Panchayat Board can finance the scheme, the combined scheme can be resorted to. If, however, it is not possible for the Panchayat to ~~xxxxxx~~ meet its share of the cost of the scheme, the scheme for the filatures alone may be taken up, as the supply of water is required urgently.

5. It may in this connection be noted that so far as ~~the~~ a water-supply scheme for the Panchayat is concerned, it is given only the 157th place out of 195 schemes in the compendium of water-supply requirements drawn up for the Province. From the rank assigned to this scheme, it would seem that so far as the Panchayat is concerned there is no urgency for the scheme, but now that the scheme for silk filatures is probably to be taken up, the Panchayat also may be tagged on, if the Panchayat's funds permit, especially when the Panchayat Board is earnest about the scheme.

6. If the scheme is to be pushed thro', it will have to be treated as a part II scheme for 1946-47. The remarks of the Development and Finance Departments may be obtained before the Panchayat Board and

the Inspector of Ml. Cls. and L.Bds., are addressed on the points noted above with regard to the Panchayat's share.

23/10/45

P-K.p.o.45131-1/45E

dated 25.10.45



L 5241 GD/45

Dev. Dept.

To 2-5

~~With reference to Min p/ above, it is submitted that~~

Please see the notes of Ld H. Dept on H 1-3 cms.

A on p 2 above.

The Govt of India have taken up the Question of disposing of the Govt Silk Klaners/Kollegal on the cessation of hostilities. Negotiations regarding the purchase of these Silk Klaners by the Govt of Madras are proceeding. It seems necessary that, in so far as the interests of the two Silk Klaners at Kollegal in the proposed Water Supply Scheme is concerned, apportionment of cost on the Scheme cannot be properly assessed till a decision is reached on the disposal of the Govt Silk Klaners. It is for orders whether Ld H. may be asked to obtain the views of the Inspector of Ml Cmns & L. Bds on the Scheme in respect of the Panchayat Board first and to send this file again later for further consideration of the Question of Water Supply for the Silk Klaners.

This may be done.

27.10.45

Yes. Intervening Memorandum the D.C. may be asked to note whether the addition to the Capital Cost (which may be divided between the two Silk Klaners & Kollegal Silk Klaners in the ratio 2:1) will result in over-capitalisation & uneconomic working of the Klaners. Ld H. Dept may be requested

~~at B of~~ Board of Industries Cannot Think of Relaxing as
fair basis for the apportionments of Capital Costs. The Collectors
of Salem will be much higher for a unit Capital
Supplying 10,00,000 gals per a unit Annual Capacity is
2,20,000 gals. If the Panchayat the Industries Salem
water from the same Supplying unit Capital Costs should be
apportioned on the basis of Consumption & also maintenance charges
Re Rate of the two Silk Filatures on this basis Civil Work and
Rs 1,40,000/- lakhs towards Capital Costs (7/29 x 5.83 lakhs) + Compound
Rs 2900/- towards maintenance (7/29 x 1/2000).

27/10/45

Dev 4.0.6.2662/45-1

27.10.45

Fin. (Acct. B)

Finance (Accounts B)

The notes from page 1 above may be perused.

The proposal relates to a scheme of water supply from the X Cauvery for the benefit of the Panchayat ~~Board~~, Kollegal and the two Silk Filatures at that place. The C.E. was asked to investigate and send a report on the scheme. He investigated two sources (i) the Cauvery and (ii) the Swarnavati. The latter is ruled out as the water from the Swarnavati river is said to be unsuitable.

4/10/29-30 C.E. (X)

2. Regarding the Cauvery source, the C.E. has submitted two schemes, one a combined scheme which would ~~service~~ Serve the Panchayat ~~Board~~ and the Silk Filatures, and the other a single scheme intended to serve the Filatures only. The cost of the schemes are as indicated below.

	Combined scheme for Panchayat Board and the two Silk Filatures	Single scheme for the two Silk Filatures alone.
	Rs. Lakhs.	Rs. Lakhs.
Capital Cost.	5.83	2.34
Annual Maintenance Charges.		.05

3. The E.P.H.Department have noted that in the 5-year programme relating to the scheme of water supply for the province, out of 195 items included in the compendium of water supply requirements, the Kollegal Panchayat ~~Board~~ scheme has been given only the 157th place. They therefore state that the water supply scheme so far as the Panchayat Board is concerned is not urgent but that if the scheme is to be taken up for water supply to the two Silk Filatures the Panchayat Board also may be tagged on, especially as the Panchayat Board is earnest about the scheme. E.P.H therefore suggest that

(1) The scheme may be taken up as a combined scheme and that a half grant towards the cost of the scheme so far as it relates to the Panchayat Board may be given.

(2) If the Panchayat Board will not be able to meet its half share of the cost of the scheme the Government themselves may bear the extra cost ~~in the combined scheme~~.

(3) The cost of the scheme ~~as~~ relating to the Panchayat Board will be the cost of the combined scheme minus the cost of the special scheme for the Silk Filatures (namely 5.83 lakh minus 2.34 lakhs) Rs 2.49 lakhs (Out of this, the Panchayat Board will be asked to bear half viz 1.25 lakhs)

E.P.H. propose that the Panchayat Board and the Inspector of Municipal Councils and Local Boards may be ~~addressed~~ addressed regarding the share of cost to be borne by the Panchayat Board.

4. Development agree to the proposal to obtain the views of the Inspector of Municipal Councils and Local Boards on the scheme in respect of the share of cost to be borne by the Panchayat Board. They however suggest that the share of the Panchayat Board will be, not the difference between the two schemes, as stated at A above but that it should be arrived at, in accordance with the quantity of water supply to the Panchayat Board and the Silk Filatures (namely 70,000 gallons for the Silk Filatures and 2,20,000 for the Panchayat Board). If the cost is apportioned on this basis the share to be borne by the Silk Filatures and the Panchayat Board will be as follows.

(Viz. 7:22):—

	Silk Filatures. Rs	Panchayat Rs
Capital cost ..	1,40,724	4,42,276
Annual maintenance charges	2,900	9,100
Investigation charges ..	978	3,072

~~According to~~ the Devt. Secretary proposes that the share of the Panchayat Board ~~will~~ should be Rs 2.21 lakhs, i.e. half share of the capital cost. (The balance will be payable by the Government as a free grant.) Finance may agree with Devt. Secretary that his suggestion for the apportionment of the capital cost will be on a fairer basis than that proposed by E. & P.H.

5. Of the two Silk Filatures in Kollegal, one belongs to His Majesty's Government and negotiations are under way for purchasing the factory for this Government. Development Secretary has also raised the question whether the capital cost that will be charged to the Silk Filatures will result in over-capitalisation and uneconomic working of the Filatures. E.P.H. will no doubt consult the D.I. & C. on this point as suggested by Devt. Sec. ~~As clearly the~~ The major portion of the capital cost is to be charged to the scheme as relating to the Panchayat Board, the simpler and direct procedure is to treat the whole scheme as one relating to the Panchayat Board, the Silk Filatures taking water as one of the bulk consumers. The Panchayat Board can levy charges at appropriate rates for the water supplied to the two Filatures. This will facilitate the accounting for the Silk Filatures and ~~in~~ the fixation of the prices for the Silk. The charges for water payable by the Filatures will be debited to the working expenses of the Filatures and will directly enter into the cost of production of silk. The extra cost to the Panchayat Board will be half of 1.40 lakhs or about Rs 70,000. But the Panchayat Board will get receipts from supply of water to the Filatures. E.P.H. may be requested to consider this proposal in consultation with the Inspector of Municipal Councils and Local Boards and the D.I. & C.. (This arrangement will avoid also the necessity of valuing capital assets of the Filatures - a somewhat difficult and complicated matter ~~and~~ if at a future date this Govt. were to sell the factories to private firms.)

The capital cost to the Government according to the proposals of the E.P.H. and Development will be as indicated below.

	As proposed by E.F.H. Rs Lakhs.	As suggested by Govt. Rs Lakhs.
Filatures ..	2.34	1.41
Panchayat Board Scheme	1.75 (half of 3.49 lakhs)	2.21 (half of 4.42 lakhs)
	4.09	3.62

If the suggestion of this department, viz., to treat the whole scheme as relating to the Panchayat Board and to ask the Filatures to pay to the Panchayat, appropriate water tax - is accepted, the ~~cost~~ cost to be borne by the Government will be half of Rs 5.83 lakhs or 2.91 lakhs.

E.F.H. propose to bring the scheme as a Part II scheme for 1946-7. This Department may agree. If it is found necessary to introduce the scheme in the current year itself, this Department need not also object. In that case, the New Servic procedure will have to be followed and the prior sanction of the Governor General will also have to be obtained.

The first thing to be done is to settle the arrangement for the financing of the scheme.

30.10.45

30.10.45.

This Dept may suggest that
(i) the whole scheme may be treated as one relating to the Panchayat Board, the Board also supplying water to the Filatures.
(ii) the Govt may give the usual half grant towards the capital expenditure
(iii) the entire maintenance charges should as in the case of other schemes of local bodies be borne by the Panchayat Board;
(iv) the Panchayat may charge the filatures for ~~water~~ water supplied, at the bulk supply rate, as in the case of other institutions getting a bulk supply.

E.F.H Dept will no doubt, examine in detail the financial position of the Panchayat Board & see whether

P.T.O.

E.V

the Board will be able to finance the scheme on the above basis.

31.10.45 I agree with A.D.S.

Dwd 31.x.45 E.P.H.

Ltr of 1st Jan 46 from P.H. (E_2)

Development have suggested that the capital costs of the Combined Scheme as well as the maintenance charges pertaining to it may be apportioned between the Panchayat and the Silk Filatures on the basis of the quantity of water consumed by each instead of on the lines suggested in para 3 of the notes at page 1 ante. Finance agree with Dev. in this regard.

Fin Memo 4916 dt 31/x/45

P.K.B. 1/11/45

49740

2. Finance however suggest that the whole scheme may be vested in the Panchayat and that the Pt. may supply water to the Filatures levying appropriate rates therefor from the flatrates. The suggestions of Finance are at 'H' on page 7 ante. for orders whether they may be accepted.

See p 6-7 ante

No. The answer is

3. The Insp. may be asked to ascertain and report if the Pt. Bd. will be prepared to undertake the whole scheme itself and to supply water to the Filatures at suitable rates. He may also be asked to examine the financial position of the Pt. to see whether it can meet its share of the capital cost of the scheme and the annual maintenance charges. Subject to orders at 'A' above, a draft memo is submitted for approval.

8.11.45 8/11/45

9/11/45

S/A 2 & A 3 above. As proposed by Engineers in the Memo. at 'A' above, the scheme may be limited as essential for the Silk Filatures and hence the capital cost and maintenance charges may be borne in the proportion suggested by Finance. I do not see any objection, however, to the proposal made by Dev. - but I doubt the ability of the Panchayat to finance this. 13/11/45. AD. A2. A3. A1.

9/12/11

The memo may issue.
The need for water at the Industrial
Exhibition (opened by the Deputy Govt)
is to be met by a reasonable extension
of the present water supply system. But
the Exhibition Authorities have to bear
the cost of the extension. The further
supply from the reservoirs. The Exhibition
Authorities will not be entitled to
any free supply of water as they
have accepted Group I and the full
charge for water is to be paid.
Water Exhibition will not open for
14/11/45

This file has come back from Cmd today. Afterwards this should be with my minute in rather detail

SVR
21.11.45

21 NOV 1945

Memo 45131 - 2/45 Sy 24d: 22-11-45
to the Inspr.

53CF [C.no 45 to. From C.E C91 (B&I) memo No 2673WPH/44-45 of 31.12.45 -
suggests
The C.E. ~~reports~~ in his letter cited above that the
Inspector of Nl Councils & Local Boards maybe reminded in the
matter as the A draft memo is submitted for approval as no reply has
so far been received from the Inspector.

[C no 3975 from the D.I.S Kollegal, 1361/45 d: 10.12.45 — p2 —
to the Asstt Dir of Ind. Cls. Trichy. Sub NDs 695-45 d: 12.12.45]

Please see the memo on p15 C.F. and the reply from the Exec. Offr, Kollegal Panch Bd. on p16 C.F. The Inspr. has merely forwarded the Bd's reply without any report as to the financial position of the Panchayat as required in the memo at p15-16 C.F. Nor have the encls (C&S&E, Investigation Report, estimate etc) sent to the Inspr. been returned. He may be informed of this and asked to return the encls. with a report on the financial position of the Panch Bd.

The draft memo below, is for approval.

30/1/46

[Memo 45131-A/41-2 Pt dt: 30.1.46 to the Inspr] — p17-18 C.F.

[C no 21792 from the Inspector of Ind Cls to Asst Dirs no 3-7133/45 dated 16.4.46] — p32 C.F.

Please see the letter from the Inspector on p32 C.F. and the letter of the Executive Officer Kollegal Panchayat on p30-31 C.F. The Kollegal Panchayat Bd is willing to bear half the cost of the Combined water supply scheme for the Panchayat Board and the Govt silk filatures, the other half being met as Govt grant. After an examination of the financial position of the Panchayat Bd, the Inspector states that the Panchayat Bd can finance the scheme on half grant half loan basis: p20 C.F. The D.P.O Coimbatore reports that there is a proposal to transfer the unprofitable Electricity scheme to Govt Control.

If the transfer is effected the Panchayat Bd will have a surplus of Rs 10,000 at the close of 46-47. From a perusal of the ~~estimate~~ report submitted by the Inspector it is seen that an additional sum of Rs 2500/- is required to meet the expenditure under the water supply scheme and that the Board can find this amount from its savings or otherwise. The Inspector's view may be accepted.

~~The case may be sent to finance for remarks.~~

In the calculations, credit is taken for an income of Rs 12,000 from supply of water by the pilatures, at the rate of Rs 2/- per thousand gallons. Apart from the correctness of the rate (which will have to be settled in consultation with the C.E.) the question regarding the future working of the pilatures has to be taken into account and the point considered. Vide in this connection the note on p 8 ante. Dev. deptt. may be asked to state what the position is: these pilatures is and whether water will be needed for them from the proposed scheme.

2 Also, Pvt. may be asked to state on the question re: the transfer of control of the electric current referred to in para 3 of the Inspr's letter on p 32 c/f.

3 The memo on pp 15-16 c/f (to which the Inspr's letter at p 32 c/f is in reply) was issued at the instance of the Fin deptt vide p 7 ante. The case may be sent to the Dev. and the Pvt. deptts for remarks in the points noted above, and then Revs. Deptt may

V. 2 (4 - Fin. (2) 27.4.46 p 30 c/f

SUMMARISING NOTE.

This case relates to a Water Supply Scheme for the Kollegal Panchayat and also the premises of Government silk filatures in the town.

The proposal is to take water from the Cauvery and to install a scheme which will be maintained by the Panchayat Board.

The Scheme is to be that of the Panchayat and the Panchayat Board is to supply the filatures, the water necessary for the Panchayat and charge therefor.

2. The cost of the scheme is estimated at 5.83 lakhs to install and Rs.12000/- annually to maintain. An Examination of the position of the Panchayat Board shows that the

Board can finance the scheme on half grant half loan basis. But in this connection credit is taken for an income of Rs.12000/- from the supply of water to the filatures and also for the transfer to Government of the local electric concern which is now reported to be working at a loss. On a reference to the Inspector it is found that the electric concern does actually work at a loss and that the Panchayat can finance the scheme of water supply if this concern is taken over by Government. There appears to be a proposal for this purpose in P.W.D. may see in this regard. They may be requested to say how far the taking over of the concern by Government will afford relief to the Panchayat Board.

As regards the filatures, one belongs to His Majesty's Government and the other to Provincial Government. There was a proposal to purchase the former for this Government. It is not known in what stage the matter is. Development Department may be requested to note on this point and also say how much water they will require for the filatures.

The proposal that the scheme should be owned by the Panchayat and the filatures should only be consumers was made by Finance Department and the financial position of the Board on this basis was ascertained at their instance. That department may also be requested to offer their remarks.

The case may be sent to P.W.D.; Development and Finance.

30/7/46

31 Jul

B. Sec

2P.H.C.O 4513/46-5M(PH)

1-8-46

SECRETARY TO GOVERNMENT
2 AUG 1946
576
Public

P. W. D / Devt / finance

P. W. D

Please see the typed note from page 12 ante. The file has been sent to this dept with reference to X above. The acquisition of the Kollegal Panchayat Electrical undertaking forms part of the Kollegal Elecy Distribution Scheme. The

35-41

scheme has been accepted by this dept and Finance and the file circulated for orders. It seems that the valuation of the Kollegal Panchayat Electric Supply undertaking will be undertaken by the C.E.(E) only after the Kollegal Scheme is sanctioned by the Govt. Until the valuation is done and the purchase price settled, it is not possible to assess, with any degree of accuracy, the relief the Panch Bd will get by the sale of the undertaking. With these remarks the file may be passed on to Dev.

Vide p: 6 in 3449/46

Dno: 9

As regards X above, EXP: 4 may consult the C.E.(E) — Secy. Board 62-B

9.8.46

Development p: 4. a.o. 3541E/46-1 9.8.46

To U.S

(This Dept last noted at pp 3-4 above)

Please see the Summarising note at pp 12-13 above. The file has been sent to this dept with reference to 'X' on p 13 above.

In February last, the Govt sanctioned the purchase, from H.M. Majesty's Govt. in the U.K., of the lands, buildings, machinery and other equipment of the Govt Silk Filatures at Kollegal. The Govt have also sanctioned in principle the proposal of the DGS&D to merge the above filatures with the Kollegal Silk Filatures, Kollegal belonging to this Dept and to work both as a single unit. The combined concern will be located in the present premises of the Govt F. Kollegal.

GENERAL SECRETARIAT
10 AUG 1946
G. 88 4/46

and will be known as "G.S.F. Kollegal".
The order of amalgamation of the two Filatures will be given effect to by the D.G.I. in very shortly. In the light of this minute of Sri S.V. Ramamurthi on p 9 above this memo for transmitting for the A.S.F. from Canara is felt and the difficulties E & P.H. may consult the D.G.I. as regards the quantity of water that may be required for the Combined Filatures. E & P.H. Rawlinson apparently thought it necessary to obtain orders on the suggestion of this dept at N on p 3 above in view of the suggestion to treat the new Water Supply Scheme as apart and distinct from the Panchayat Board, so far as Capital Cost are concerned. The Case may be passed on to Finance.

AM 24.8.46

Fin (AO)

AP 13 Sept

VSR 13.8.46

Fin (Accts B)

(Previous Finance note on pp 4-8 above)

Dev No 56962 DI/46-1 14.8.46 4437 OM

Please see the notes from page 12 above.

This Depot suggested that a water supply scheme for the Kollegal Panchayat Board may be prepared, that the above scheme may provide for the supply of water required by the two Silk Filatures in the locality and that the ability of the Panchayat Board to finance the scheme might be examined by E & P.H. E & P.H. have examined the question in their note on pp 12-13 above. They state that the Panchayat Board will be in a position to finance the scheme subject to the following conditions:-

Para 2 on pp 12-13 above

(i) The Govt. should take over the Kollegal Panchayat Electrical Undertaking which is working at a loss and

(ii) The receipts for the supply of water to the Silk Filatures should amount to Rs 12000.

As regards condition (i) above, the P.W.D. state that definite information regarding the relief which the Panchayat Board will get can be had only when the Kollegal Electrical Distribution scheme under the consideration of Govt is sanctioned. Development point out that the two Silk Filatures have since been ordered to be merged into one unit and suggest that the necessary information regarding the water required by the Filatures

may be obtained from the D.I.S.C. Exp.H. may be requested further to examine the ability of the Panchayat Board to finance the water supply scheme (ascertaining what relief the Panch.t Bd is likely to get when) after the Panchayat Electrical Undertaking is taken over by the Govt and after ascertaining the quantity of water likely to be required by the Filatures, and to send the file again to this Dept. thro' the P.W.D. and Development departments. C.i.s 19.8.46. Dev

(When the file is received again in Finance, Exp.B. may be requested to deall with the file as the subject relates to that section) no objn C&L 17.8.46

7/8/46.

C&L 17.8.46

C.i.s 19-8-46.

Dev 19.8.46

E.P.H

I have Exp.B. had 17.8.46

E & P.H(H).

Fin no 44370 A1-1 17.8.46.

47472 19 AUG 1946 EDUCATION AND PUBLIC HEALTH DEPARTMENT

The notes of P.W.D/Dev/Fin on pp 13-16 ante may be perused. With reference to A above a draft memo is submitted for approval.

7.8.46.

SS

[Issued as memo 45131/46-6H (PH) dated 28.8.46] p 40-41 C.F. 20/8/46

[C.no 57/40 From the Dr of I.S.C. ~~letter~~ letter dated nil.] p 42 C.F.

The Dr of I.S.C has replied ~~that~~ to the memo. on pp 40-41 C.F. that about 60,000 gallons of water per day will be required for the use of the amalgamated Govt Silk filatures at Kollegal. It is therefore ~~obvious~~ likely that the Panchayat will be able to derive an income of Rs 12,000 (at the rate of Rs 2 per thousand gallons) from the supply of water to the filatures as reported by the Insp.r (Vide A on p.30 of the 32 C.F.). The Chief Engr. (Electricity) has to reply to the first para of the memo. on p 40 C.F. His reply may be awaited till 22-10-46

p 42 C.F.

1/10/46.

12,000/-

C.NO 15072/47 From the C.E. (Elec) NO 7644 G1/46-4 dated 18-2-47

The C.E. (El.) states that the valuation of the Kollegal Electrical undertaking is under scrutiny and that precise figures cannot be given as to the relief that could be afforded to the Panch. financially. He however seems to consider that the Panch. will be saved a sum of Rs 6070 p.a. Before this figure could be adopted for purposes of examn. of the financial position of the Panch. Bd. to meet the cost of the N.S. Scheme, the case may be sent to the PWD for remarks on the C.E.(El)'s letter. Vide in this connection Minute on pp 13-14 ante.

E
3.3.47.

PWDs

(Previous P.W.D. note on pp 13-14 ante)

The Kollegal Distribution Scheme was sanctioned in August 1946 at an estimated cost of Rs 1.705 lakhs initially rising to Rs 3.5 lakhs in five years. It may be seen from the C.E.(E)'s letter on page 45 ante that the valuation of the Kollegal undertaking done by the C.E.I.E. is under scrutiny. No special remarks seem called for in the dept apart from what is stated by the C.E.(E) on page 45 ante. If more accurate details are needed, E&H may be requested to obtain them from the C.E.(E) sometime hence, when precise

2-6-0
1
13/1/45-17-H1PH
3-47
1 3 47
CH&P
4 MAR 1947
75 E
7 PM 8 7 PM
rdr
stop

figures will be available with him.

2. The file may be returned to E+P-H.

P. W. no. 752 E/47-1

E+P H

8.3.47

E+P H

8.3.47

7.3.47

E+P H

10 MAR 1947

Please see 'M' on the previous page. Perhaps the CE (E) may be asked again on 1-4-47.

12.3.47

Returned 14-5-47

No. H4481/47 From the C E (Electricity) E No. 1136/47 - Fd 23-5-47 (P47C+)

The C.E (Elect.) has stated that the question of purchase value of the Kollegal undertaking is under the consideration of P.W.D. (P47C+) That dept may be requested to say in what stage the matter is.

E+P.H.U.O 45131/45-20-H, P.H

29.5.47

28.5.47

28.5.47

Pwd

The C.E (E)'s proposals regarding the method of valuation of the electric supply undertakings at Kurnool, Hindupur and Kollegal were examined & file was sent to L.A, Legal Fin on 22.5.47 for remarks. No decision has yet been reached on the proposals. E+P.H may be informed accordingly.

A

P. W. no. 1849 E/47-1

5.47

E+P H

31.5.47

31.5.47

PTO

2 JUN 1947

E+P.H (H1) 1/1

Please see the P.W.D. note on p18 ante
The case may lie over till 1-7-47.

1/6.47 5.6.47 SO 5.6.47.

P.W.D may be requested to say whether any decision has been reached in the question of valuation of the electric supply undertakings at Kollegal and if so to link up the case for perusal in this dept.

P.W.D (E)
4/7-7-47

E+P.H.U.O
+5131/45-21-H1
P.H
4.7.47

3.7.47

No decision has yet been reached in the question. The file was sent to L.A. on 2.7.47 for further remarks before circulation.

E+P.H. may be informed accordingly

N.Nio.
2260 E/47-1
7.7.47

7.7.47

E+P.H
7.7.47

E+P.H(H1)

This may lie over till 15-8-47

9-7-47

P.W.D may be requested to say in what stage the matter is at present.

P.W.D (E)
20/8/47

E+P.H.U.O
5131/45-22-H1
P.H
20.8.47

19.8.47

The C.E (E) has been asked to consult the local bodies on the proposed method of valuation and submit a report to govt. His report is awaited.

E+P.H may be informed accordingly

E+P.H

PWDRW 2917 E/47
26.8.47

26.8.47

May lie over till 1-10-47

28/9/47

P.W.D. may be requested to say in what stage the matter referred to by them in the pr. para is at present.

29-9-47 Pwd

(Previous P.W.D. note on p. 19 ante)

In the file relating to the valuation of the Electric Supply undertakings at Kurnool, Hindupur and Kollegal, The consent of the municipalities of Kurnool and Hindupur was obtained to the method of valuation proposed by the C.E.(E). and necessary further action is being taken thereon. The case of Kollegal has been ordered to be taken up later. The Kollegal Panchayat Board will be addressed separately.

The file may be returned to E+P.H.

E+P.H-U.O 45131/45-2 H.P
3-X-47

ASSISTANT SECRETARY TO GOVERNMENT
E
4 OCT 1947
3538
PUBLIC WORKS DEPARTMENT

E+P.H

8/10/47

May lie over till 10.12.47

PW Dno 3538E/47-1
ASST. SECRETARY TO GOVERNMENT
80615
9 OCT 1947
E
EDUCATION AND PUBLIC HEALTH DEPT.

4616E

P.W.D may be requested to say in what stage the matter referred to by them, above, is at present.

E+P.H/UO 45131/45-25 H.P.H
15.12.47

13/12/47 Pwd.

[Previous note of P.W.D. on p20 ante]

The newly elected Kurnool Municipal Council which has since come into office has cancelled the resolution of the Special Officer in regard to the method of valuation suggested by the C.E.(E). The question whether the Kurnool Municipality may be compelled to adhere to the resolution of the Special Officer is separately being examined in consultation with Legal, L.A. and Finance. The ~~acquisition~~ case of the Kollegal electrical undertaking has not yet been taken up in that file.

With these remarks, the file may be returned to E.&.P.H.

23/12/47

28.12.47

23-12-47

E & P.H (H-1)

Please see the notes of P.W.D above.

P.W.D U.O.No.4616E/47-1 dt 23-12-47. This may lie over till 5-2-48, when the P.W.D may be reminded again.

5-1-48

6/48

7.1.48

ASSISTANT SECRETARY TO GOVERNMENT
5 - JAN 1943
PUBLIC HEALTH DEPARTMENT

P.W.D may be requested to say in what stage the matter referred to above now is.

5-2-48

5/48

Dy. (E)

5/48

45131/45-26-H1 dt 6.2.48

With reference to B above, the Legal Dept have stated that the municipality cannot be compelled to adhere to the resolution of the Spl Officer.

The Kurnool M.C. Council's resolution

referred to at A on p 21 ante and a report of the Ad Hoc committee constituted by the Kurnool M.C. to go into the question of valuation of the Kurnool El Supply undertaking have been referred to the Ch. Eg. and the Ch (E) for remarks and their replies awaited.

The question of the valuation of the Kollegal undertaking has not yet been taken up in the file. When these remarks the case may be returned to E+P.H.

'A'

Thro' E

E+P.H

P. W.

E+P.H(UH)

(Pages 16 - 21 ante may be read)

Please see the notes of P.W.D at p 21 ante and above. The valuation of the Kollegal undertaking is still pending. This may be overtd 15-3-48 when the P.W.D may be reminded again.

13 FEB 1943 10 E

P.W.D may be requested to say in what stage the matter at 'A' above is at present.

E+P.H.U.O

45131/45-21-4,B4

Same as at A above. No change. 17.3.48

E+P.H.

18.3.48

E+P.H(H-1)

May be overtd till 20-4-48

19 MAR 1943 21069 1241 E/48-1

20/3/48

4/

P.W.D may be requested to say in what stage the matter at 'A' on p 22 ante is at present.

E+P.H.O
45131/45-28-4.48
20.4.48

20/4/48

Pwd (E)

(Previous P.W.D. note on p 22 ante)

Re... file relating to the valuation of the Parish Council undertakings at Kollegal (Coimbatore Hotel undertakings) has been sent to L.A. Kollegal Municipality on 15.4.48. In this file, it is proposed to advise the Kollegal Panchayat Bd. asking it to agree to the British method of valuation.

With these remarks the file may be returned to E&PH.

X above to be explained.

24.4.48 Pwd

26/4/48

Submitted. According to the British method of valuation, the local body will be paid only the balance of loan outstanding on the date of transfer; loans for meeting deficits in Operation and maintenance charges not being taken into account.

26.4.48 Pwd

27.4.48 E&PH

P.W.D.
1683/E/48-1
28.4.48

ASSISTANT SECRETARY TO GOVERNMENT
21218
29 APR 1943
EDUCATION AND PUBLIC HEALTH DEPARTMENT

E&PH

May be advised 29.4.48

29/4/48

29/4/48

P.W.D may be requested to say in what stage the matter referred to at p 23 ante is at present.

10.5.48 20/5/48

Ex. Engr. P.W.D.

E+P.H.U.O
45131/45-29
24.5.48

(Previous P.W.D. note on p 23 ante)

The Kollegal Panchayat Board has been asked to agree to the British method of valuation (explained at K on p 23 ante). The reply from the Panch. Bd is awaited.

E+P.H may be informed accordingly.

25.5.48 E+PH

28.5.48 25.5.48

P.W.D.
2084 E/48-1
25.5.48

Ex. Engr. (H)

May lie well 20.6.48

20.6.48

27.6.48

38886

P.W.D may be requested to say in what stage the matter referred to above is at present.

11.6.48

Ex. Engr. P.W.D. (E)

23.6.48

E+P.H.U.O
45131/45-30
23/6/48

The reply from the Kollegal Panch. Bd is still awaited. A reminder is being sent. E+PH may be informed accordingly.

24.6.48

24.6.48 & E+PH 47303

P.W.D.
2445 E/48-1
25.6.48

25

E & P H

The P.W.D may be reminded on 27-7-48 if necy.

th 28/7/48

Y 28/7

P.W.D may be requested to say in what stage the matter referred to at p 24 ante is at present.

X 28.7.48 th 28/7/48

Y 29.7 ur P.W.D (E)

E+P.H.V.O
45.131/45-31-H&PH
30-7-48

E
2836

(Previous P.W.D. note on p 24 ante)
The reply from the Kollegal Panch. Bdt has been received and it has been referred to the Circ (E) for remarks.
The Circ (E)'s reply is awaited.
E & P H may be informed accordingly.

Y 2.8.48 r E & P H

P.W.D.
2836 E/48-1
2.8.48

X 31.7.48
JKK 31-7-48

E+P H (H-1)

Please see the notes of P.W.D above. This may lie over till 4-9-48 when the P.W.D may be reminded again.

X 4.8.48 th 4/8/48

SECRETARY TO GOVERNMENT
4 AUG 1948
PUBLIC WORKS

SV 5771
3/8/48

Y Y S

P.W.D may be requested to say in what stage the matter referred to above is at present

E+P H V O
45131 45-3 H&PH
Dpl(E)
4/9/48

X 4.9.48
CCO
th 4.9.48

Y 7.9.48 P.W.D E 3259

AGENDA

(Previous P.W.D. note on p 25 ante)

The Kollegal Panch. Bd suggested that it might be paid the actual capital expended on its electric supply undertaking without deducting any depreciation. The C.E.(E) was consulted and it is proposed to advise the P. Bd to agree to the British method of valuation (K on p. 23 ante) and to ask the Bd to hand over the undertaking to the Govt Elecy Dept pending settlement of the question of valuation etc.

With these remarks, the file may be returned to E & P.H.

M/109 per E&PH

P. W. no. 3259 E/48-F
18.9.48

To
9.9.48

JRW
9.9.48

E & P. H. Deptt (H.)

From 'A' above, it is seen that the question of valuation has not yet been settled. This may continue to lie over till 15.10.1948.

Note call
14/9/48

To
13/9/48

S.V.
11/9/48.

P.W.D. may be requested to say in what stage the matter referred to above is at present

K
10.9.48

Secy (Elecy)

Sep file (1244 E/47)
E+P.H.D.O

The Kollegal Panchayat Board subsequently agreed to the British method of valuation (K on p. 23 ante). The Board was therefore asked

+5131/45-33
20-10-48

to hand over the undertaking to the Govt. Elecy. Deptt. on 1-10-48.

2. In another connection, the C.E.(E) has reported (in his endorsement No. 205 P/47-31, dated 7-10-48) that the Kollegal Panchayat Distribution was changed over to Mysore supply, as programmed, on 1-10-48. Apparently the undertaking was handed over to the Govt. Elecy. Deptt. by the Panchayat Board on that date before the change over to Mysore supply.

3. Consequent on the transfer of the undertaking to the Government, the Panchayat Board will be relieved of (i) the liability to pay the annuity payment towards the clearance of the balance of loans (taken for meeting capital expenditure on the undertaking) outstanding on the date of transfer and (ii) the loss incurred in running the electric supply undertaking from the date of transfer.

4. For precise figures regarding the relief that the Panchayat Board will get by the transfer of the undertaking, the E.&P.H. Deptt. may be requested to address the C.E.(E) with further reference to his Endt. on pp 47 c.f.

5. The file may be returned to L & P.H. through L.A.

B

P.N.U.O. 3259 E/48-2 22.X.48

21.10.48

22-10-48

L.A. / E+P.H.

L.A.D

E+P (for)

25 Oct

E+P.H(CH.)

LAdmn 42019/48-1A 26/10/48

With ref to 'B' above a draft memo to the C.E.(E) is subd for approval.

30-10-48

LOCAL ADMINISTRATION DEPT. 42019 25 OCT 1948 SECRETARIAT, MADRAS

SECRETARY TO GOVERNMENT 6346 21 OCT 1948 PUBLIC HEALTH DEPARTMENT

Memo No. 4S131/45-34-H1P.H dated 2-11-48 to the C.E(E) p4 p-3 ¶

C.No. 478/49 from the C.E(E) L.No. 205P/47-37(d) 30-12-48 p50-2(

SUMMARISING NOTE

This case relates to a water supply scheme for the Kollegal Panchayat (Coimbatore Dt) and also the premises of Govt Silk Filatures in the town. The proposal is to take water from the Cauvery and to instal a scheme which will be maintained by the Panchayat Bd. The scheme is to be that of the Panchayat and the Panchayat Bd is to supply the Filatures the water necessary for them and charge therefor. p1 ¶ incl p7-8 para

2. The cost of the Scheme was estimated as Rs. 5.83 lakhs to instal and Rs 12,000/- per annum to maintain. An examination of the financial position of the P Bd in 1946 showed that the Bd could finance the Scheme on half grant half loan basis. But on this Connection Credit was taken for an income of Rs 12,000 (estimated at 60,00,000 gals p.a.) from the supply of water to the Filatures and also for the transfer to Govt of the Kollegal Panchayat Electrical undertaking. The Director of Industries and Commerce has stated that about 60,000 gallons of water per day would be required for the use of the amalgamated Silk Filatures at Kollegal. It is therefore likely that the P.Bd can derive a sum of Rs 43,200 per year instead of Rs 12,000 as stated by the P.Bd. The P.P.d has handed over the electrical undertaking to Govt on 1-10-48 The C.E(E) was asked to state how far this acquisition of the electrical undertaking by Govt would relieve the Panchayat p2 ¶ pp32-3 ¶ incl p42 ¶ 1000 \| 60.0 60 / 1.- 30 - 30 0 1. 432 Abt p30 ¶ p40+48 ¶

financially. In his letter at pp 50-24 the
p 50 cf C.E.(E) has stated that the total amount
of loan (in respect of the undertaking) outstanding on 1-10-48 (the date of
ibid taking over the undertaking by Govt) is
Rs 83,150 and this amount alone has to be
paid by Govt as Compensation to the P Bd by Govt for
transfer of the undertaking. ~~It is also observed~~
Consequently the Pancht will have a saving of the
~~that~~ annuity of about Rs 16,000 on the loans
floated for the purpose. Also the yearly
ibid revenue losses need not be met from the
general revenues of the Pancht as hitherto.

3. The estimates for the Combined
water supply scheme for the Colonial
Pancht and for the premises of the Silk
Estates from the Cauvery Source was
p 1 cf prepared as early as 1945. The then
p 2 cf Estimated cost was Rs 5.83 lakhs to instal
and Rs 12,000/- p.a annually to maintain. As
Conditions have changed since then the
estimates for the scheme may need revision
according to current rates. ~~Also the financial~~
p 38-39 The financial position of the Pancht was
examined in 1946 and it is desirable to
have them examined with regard to the
latest budget. The C E may first be asked
to state whether the estimates ~~whose~~ needs revision
and if so to be furnish details in the matter.
The rate to be charged for the supply of water to the Estates may also be ascertained
A.S. soon as his reply is received the Supdt may
be addressed regarding the financial position of the Panchayat.
A draft memo is submitted
for approval.

6-1-49
CES
8-1-49

16-1-49

17/1/49

Issued as Memo No. 45131/45-4-H1, PH dated 17-1-49 to the C.E (9) p 54 ✓

C. No. 63851/49 From the Addl C.E, PWD, E No. 533 PWW/49-S dated 17-8-49 p 70 ✓

C No. 84394/49 From the C.E, PWD L No. 533 PWW/49-9(d) 28/10/49

Please see the notes from p 28 ante. The Sanitary Engineer has stated that the approximate cost of a combined scheme to the Kollegal Panchayat and the 2 Silk Filatures, at current rates would be Rs 7,85,400 to instal and about Rs 14,000 annually to maintain. He also states that the rate at which water to be supplied to the Filatures is to be charged may be fixed at 8 annas per 1000 gallons. p 18 ✓

~~Heads of the proposal for the Kollegal scheme and may be called for. The draft memo below is for approval.~~

Though the water supply scheme for the Kollegal Panchayat occupies the 157th place in the compendium it has been proposed to take up the scheme without regard to its place of priority in order that supply of water to the Govt. Silk filatures, Kollegal can also be arranged along with the supply to the Panchayat Population. According to the orders recently issued in Govt. No. 1488, PH dated 25.4.49 the financial aspect of a scheme need be examined only after the plans and estimates of the scheme are prepared. The scheme has only been investigated and a rough estimate of the scheme worked out. In view of the revised procedure and the revised financial policy laid down in the Govt. the proper course seems to be to sanction the preparation of plans and estimates for the scheme.

2-11-49 p 3 (Q)

para 5 on p 4

(4) p 2

For orders

7. XII 49

(2. The "Combined silk Stations" are not now working. Only the K-S-F is working and the K.S.F. has been closed down. It has been found difficult in the K-S-F to work more than 200 to 250 basins, for want of Cocoons)

Asst

A draft order is submitted for approval. Development may see before issue.

12.11.49 Secs 12.11.49

112471

Dir. of Ind

Asst / Secs

To Sec

Dev.

P.H.O.O

45131/45-8-HPH

16-11-49

DEV SECT

TOPS.

(Summary from p. 28 above)

The draft order below may be passed. ~~If does not however appear necessary to consult the DHC. A copy of the order may however be marked to the DHC with those~~ E to PH may perhaps be requested to consult the DHC also so that he may be kept aware of the development exact position. If this is not considered necessary, a copy of the ~~margin~~ order to be issued in this case may be sent to the Director for orders.

Attention is invited to the report of the Sanitary Engineer to Govt. at P. 28 C/F and at P. 50 C/F

93251

22/11/49

ASSISTANT SECRETARY TO GOVT. 'A' 20 NOV 1949 EDUCATION AND PUBLIC HEALTH DEPARTMENTS

After orders are passed, the file may be returned to E to PH.

E to PH

Dir. to send the 112471/DI/49-1 25.11.49

28-11-49.

27/11/49

E + P. H (H)

Please see the notes of this dept at p. 30 ante and the notes of Dev at p 31 ante. A copy of the draft order, ~~of~~ sanctioning the preparation of plans and estimates ~~for~~ of the combined W.S Scheme of the Kollegal Pandal and the Coorg Silk Filatures may be sent to the Director of Industries and Commerce also The draft order ~~before~~ may now issue.

29-11-49

CES
29.11.49

30.11.49

Issued as G.O. No. 4254 P H (d) 30.11.49